

Government of Khyber PakhtunkhwaHealth

Department

Bid Solicitation Documents (BSD) For NationalCompetitive Bidding (NCB)

For

Procurement of Machinery & Equipment, Instruments and Other Hospital Supplies Etc.

Under The Project Activity

Strengthening Of All BHUs across Khyber Pakhtunkhwa and Conversion of 200 BHUs into 24/7 SBA Facilities

&

Rehabilitation of All RHCs across Khyber Pakhtunkhwa and Conversion of 50 RHCs into 24/7 Facilities of

> Health Department, Khyber Pakhtunkhwa FY 2021-22

TABLE OF CONTENTS

Preface	5
Part One - Section I	6
Instructions to Bidders	6
Notes on the Instructions to Bidders	6
Instructions to Bidders	7
A. Introduction	7
1. Source of Fund	7
2. Eligible Bidders	
3. Eligible Goods and Services	
4. Cost of Bidding	
B. The Bidding Documents	
5. Content of Bidding Documents	
6. Clarification of Bidding Documents	
7. Amendment of Bidding Documents	
C. Preparation of Bids	
8. Language of Bid	
9. Documents Comprising the Bid	
10. Bid Prices	
12. Bid Currencies	
13. Documents Establishing Bidder's Eligibility and Qualification	10
14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents	
15. Bid Security	
16. Period of Validity of Bids	
17. Format and Signing of Bid	
D. Submission of Bids	
18. Sealing and Marking of Bids	
19. Deadline for Submission of Bids	
	13
E. Opening and Evaluation of Bids	13
22. Opening of Bids by the Procuring agency	
23. Clarification of Bids	
24. Preliminary Examination	14
25. Evaluation and Comparison of Bids	
26. Contacting the Procuring agency	
F. Award of Contract	
27. Post qualification	
28. Award Criteria	
 Procuring agency's Right to Vary Quantities at Time of Award Procuring agency's Right to accept any Bid and to reject any or All Bids 	
31. Notification of Award	
32. Signing of Contract	
33 Performance Security	
34. Corrupt or Fraudulent Practices	18
35. Integrity Pact	19
Part One - Section II	20
General Conditions of Contract	20
Notes on the General Conditions of Contract	20

General Conditions of Contract	
1. Definitions	
2. Application	
3. Country of Origin	
4. Standards	
5. Use of Contract Documents and Information; Inspection and Audit by the Government	
6. Patent Rights	
7. Performance Security	
8. Inspections and Tests	
9. Packing	
10. Delivery and Documents	
11. Insurance	
12. Transportation	
13. Incidental Services	
14. Spare Parts	
14. Spare Parts	
•	
16. Payment	
17. Prices	
18. Change Orders	
19. Contract Amendments	
20. Assignment	
21. Subcontracts	
22. Delays in the Supplier's Performance	
23. Liquidated Damages	·····
24. Termination for Default	
25. Force Majeure	
26. Termination for Insolvency	
27. Termination for Convenience	
28. Resolution of Disputes	
29. Governing Language	
30. Applicable Law	
31. Notices	
32. Taxes and Duties	
32. Taxes and Duties	
)21-22	:
T TWO (PROCUREMENT SPECIFIC PROVISIONS)	:
ace	:
Тwo	-
1w0	
on I. Invitation for Bids	
otes on the Invitation for Bids	
utertion for Dide	
vitation for Bids	
on II. Bid Data Sheet	
otes on the Bid Data Sheet	
d Data Sheet	
on III. Special Conditions of Contract	
otes on the Special Conditions of Contract	
pecial Conditions of Contract	
•	
1. Definitions (GCC Clause 1)	
•	
1. Definitions (GCC Clause 1)	

5.							
6.	Delivery and Documents (GCC Clause 10) 40						
7.	Insurance (GCC Clause 11)						
8.	Incidental Services (GCC Clause 13)						
9.	Spare Parts (GCC Clause 14)						
10.	Warranty (GCC Clause 15)						
11.	Payment (GCC Clause 16)						
12.	Prices (GCC Clause 17)						
13.	Liquidated Damages (GCC Clause 23)						
14.	Resolution of Disputes (GCC Clause 28)						
15.	Governing Language (GCC Clause 29)						
16.	Applicable Law (GCC Clause 30)						
17.	Notices (GCC Clause 31)						
18.	Duties & Taxes (GCC clause 32)						
19.	Specific Requirements	41					
Section IN	/. Schedule of Requirements	. 42					
Notes j	for Preparing the Schedule of Requirements	42					
Schedu	le of Requirements	43					
Section V	. Technical Specifications	. 47					
Notes j	for Preparing the Technical Specifications	47					
Techni	cal Specifications	48					
Section V	I. Sample Forms	65					
Notes	on the Sample Forms	65					
1. Bi	d Form and Price Schedules	66					
2. Bi	2. Bid Security Form						
3. C	3. Contract Form (Template contract will be awarded based on conditions in BSD)						
4. Pe	4. Performance Security Form						
5. Ba	5. Bank Guarantee for Advance Payment						
6. N	6. Manufacturer's Authorization Form						
7. In	tegrity Pact	73					

Preface

These Bidding Documents have been prepared for use by procuring agencies and their implementing agencies in the procurement of goods through National Competitive Bidding (NCBs) as well International Competitive Bidding (ICBs) vide 41(g) KPP Rules 2014.

In order to simplify the preparation of bidding documents for each procurement, the Bidding Documents are grouped in two parts based on provisions which would remain the same for every procurement and that which are specific for each procurement. Provisions which are intended to be used unchanged are in Part one, which includes Section I, Instructions to Bidders, and Section II, General Conditions of Contract. Data and provisions specific to each procurement and contract are included in Part two which is further organized into six sections. Sections I, II, III, IV, and V, respectively contain Invitation for Bids; Bid Data Sheet; Special Conditions of Contract; Schedule of Requirements; Technical Specifications; and the forms to be used, while Section VI is about Sample Forms.

This is Part one which is fixed and contains provisions which are to be used unchanged. Each section is prepared with notes intended only as information for the Procuring agency or the person drafting the bidding documents. They shall not be included in the final documents.

Part One - Section I

Instructions to Bidders

Notes on the Instructions to Bidders

This section of the bidding documents provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring agency. It also provides information on bid submission, opening, and evaluation, and on the award of contract.

Part One Section I contains provisions that are to be used unchanged. Part Two Section II (Bid Data Sheet) consists of provisions that supplement, amend, or specify in detail information or requirements included in Part One Section I and which are specific to each procurement.

Matters governing the performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are not normally included in this section, but rather under Part one Section II, General Conditions of Contract, and/or Part Two Section III, Special Conditions of Contract. If duplication of a subject is inevitable in the other sections of the document prepared by the Procuring agency, care must be exercised to avoid contradictions between clauses dealing with the same matter.

These Instructions to Bidders will not be part of the contract.

Instructions to Bidders

A. Introduction

- 1. Source of Fund
- 1.1 The Procuring agency has received/applied for loan/grant/federal/provincial/local government funds from the source(s) indicated in the bidding data in various currencies towards the cost of the project /schemes specified in the bidding data and it is intended that part of the proceeds of this loan/grant/funds/ will be applied to eligible payments under the contract for which these bidding documents are issued.
 - 1.2 The funds referred to above in addition shall be "Public Fund" which according to 2 (l) of KPP Rules 2014 means (i) Provincial Consolidated Fund; (ii) foreign assistance; (iii) all moneys standing in the Public Account; and (iv) Funds of enterprises wholly or partly owned or managed or controlled by Government.
 - 1.3 Payment by the Fund will be made only at the request of the Procuring agency and upon approval by the Government of Khyber Pakhtunkhwa., and in case of a project will be subject in all respect to the terms and conditions of the agreement. The Project Agreement prohibits a withdrawal from the allocated fund account for the purpose of any payment to persons or entities, or for any import of goods, if such payment or import, to the knowledge of the Federal Government/ Khyber Pakhtunkhwa Government, is prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations. No party other than the Procuring agency shall derive any rights from the Project Agreement or have any claim to the allocated fund proceeds.
- **2. Eligible Bidders** 2.1 This Invitation for Bids is open to all suppliers from eligible source as defined in the KPP Rules, 2014 and its Bidding Documents except as provided hereinafter.
 - 2.2 Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring agency to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation for Bids.
 - 2.3 Government-owned enterprises in the Province of Khyber Pakhtunkhwa may participate only if they are legally and financially autonomous, if they operate under commercial law, and if they are not a dependent agency of the Government of Khyber Pakhtunkhwa.
 - 2.4 Bidders shall not be eligible to bid if they are under a declaration of ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPP Rules 2014.

3. Eligible Goods and Services	3.1	All goods and related services to be supplied under the contract shall have their origin in eligible source countries of the world with whom the Islamic Republic of Pakistan has commercial relations and its Bidding Documents and all expenditures made under the contract will be limited to such goods and services.
	3.2	For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced, or the place from which the related services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.
	3.3	The origin of goods and services is distinct from the nationality of the Bidder.
4. Cost of Bidding	4.1	The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Procuring agency named in the Bid Data Sheet, hereinafter referred to as "the Procuring agency," will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
		B. The Bidding Documents
5. Content of Bidding Documents	5.1	 The bidding documents include: a) Instructions to Bidders (ITB) b) Bid Data Sheet c) General Conditions of Contract (GCC) d) Special Conditions of Contract (SCC) e) Schedule of Requirements

- f) Technical Specifications
- g) Bid Form and Price Schedules
- h) Bid Security Form
- i) Contract Form
- j) Performance Security Form
- k) Manufacturer's Authorization Form
- 5.2 The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.

6. Clarification of Bidding Documents	6.1	An interested Bidder requiring any clarification of the bidding documents may notify the Procuring agency in writing. The Bidding Procuring agency will respond in writing to any request for Documents clarification of the bidding documents which it receives no later than three working days prior to the deadline for the submission of bids prescribed in the Bid Data Sheet. Written copies of the Procuring agency's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all interested bidders that have received the bidding documents.
7. Amendment of Bidding Documents	7.1	At any time prior to the deadline for submission of bids, the Procuring agency, for any reason, whether at its own initiative or in response to a clarification requested by an interested Bidder, may modify the bidding documents by amendment.
	7.2	All interested bidders that have received the bidding documents will be notified of the amendment in writing, and will be binding on them.
	7.3	In order to allow interested bidders reasonable time in which to take the amendment into account in preparing their bids, the Procuring agency, at its discretion, may extend the deadline for the submission of bids.
		C. Preparation of Bids
8. Language of Bid	8.1	The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring agency shall be written in the language specified in the Bid Data Sheet. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the Bid Data Sheet, in which case, for purposes of interpretation of the Bid, the translation shall govern.
9. Documents Comprising the Bid	9.1	 The bid prepared by the Bidder shall comprise the following components: a) a Bid Form and a Price Schedule completed in accordance with ITB Clauses 10, 11, and 12 b) documentary evidence established in accordance with ITB Clause 13 that the Bidder is eligible to bid and is qualified to perform the contract if its bid is accepted; c) documentary evidence established in accordance with ITB Clause 14 that the goods and ancillary services to be supplied by the Bidder are eligible goods and services and conform to the bidding documents; and d) Bid security furnished in accordance with ITB Clause 15
10. Bid Form	10.1	The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the goods to be supplied, a brief description of the goods, and their country of origin, quantity, and prices.
11. Bid Prices	11.1	The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the goods it proposes to supply under the contract.
	11.2	Prices indicated on the Price Schedule shall be delivered duty paid (DDP) prices. The price of other (incidental) services, if any, listed in the Bid Data Sheet will be entered separately.
	11.3	The Bidder's separation of price components in accordance with ITB Clause 11.2 above will be solely for the purpose of facilitating the

comparison of bids by the Procuring agency and will not in any way limit the Procuring agency's right to contract on any of the terms offered.

- 11.4 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet. A bid submitted with an adjustable price quotation will be treated as nonresponsive and will be rejected, pursuant to ITB Clause 24. If, however, in accordance with the Bid Data Sheet, prices quoted by the Bidder shall be subject to adjustment during the performance of the contract, a bid submitted with a fixed price quotation will not be rejected, but the price adjustment would be treated as zero.
- **12. Bid Currencies** 12.1 Prices shall be quoted in Pak Rupees unless otherwise specified in the Bid Data Sheet.

13.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the Bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted.

- 13.2 The documentary evidence of the Bidder's eligibility to bid shall establish to the Procuring agency's satisfaction that the Bidder, at the time of submission of its bid, is from an eligible country as defined under ITB Clause 3.
- 13.3 The documentary evidence of the Bidder's qualifications to perform the contract if its bid is accepted shall establish to the Procuring agency's satisfaction:
 - a) that, in the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' Manufacturer or producer to supply the goods in the Procuring agency's country;
 - b) that the Bidder has the financial, technical, and production capability necessary to perform the contract;
 - c) that, in the case of a Bidder not doing business within the Procuring agency's country, the Bidder is or will be (if awarded the contract) represented by an Agent in that country equipped, and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and
 - d) That the Bidder meets the qualification criteria listed in the Bid Data Sheet.
- 14.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the bidding documents of all goods and services which the Bidder proposes to supply under the contract.
- 14.2 The documentary evidence of the eligibility of the goods and services shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 14.3 The documentary evidence of conformity of the goods and services to

14. Documents Establishing Goods' Eligibility and Conformity to Bidding Documents

13. Documents

Bidder's Eligibility and Qualification

Establishing

the bidding documents may be in the form of literature, drawings, and data, and shall consist of:

- a) a detailed description of the essential technical and performance characteristics of the goods;
- b) a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period to be specified in the Bid Data Sheet, following commencement of the use of the goods by the Procuring agency; and
- c) An item-by-item commentary on the Procuring agency's Technical Specifications demonstrating substantial responsiveness of the goods and services to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 14.4 For purposes of the commentary to be furnished pursuant to ITB Clause 14.3(c) above, the Bidder shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procuring agency in its Technical Specifications, are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names, and/or catalogue numbers in its bid, provided that it demonstrates to the Procuring agency's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.
- **15. Bid Security** 15.1 Pursuant to ITB Clause 9, the Bidder shall furnish, as part of its bid, a bid security in the amount specified in the Bid Data Sheet. [The bid security shall be submitted from the account of the firm/bidder/contractor who submits the bid]¹
 - 15.2 The bid security is required to protect the Procuring agency against the risk of Bidder's conduct which would warrant the security's forfeiture, pursuant to ITB Clause 15.7.
 - 15.3 The bid security shall be in Pak. Rupees and shall be in one of the following forms:
 - a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the Procuring agency's country, in the form provided in the bidding documents or another form acceptable to the Procuring agency and valid for thirty (30) days beyond the validity of the bid; or
 - b) Irrevocable encashable on-demand Bank call-deposit.
 - 15.4 Any bid not secured in accordance with ITB Clauses 15.1 and 15.3 will be rejected by the Procuring agency as non-responsive, pursuant to ITB Clause 24.
 - 15.5 Unsuccessful bidders' bid security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of bid validity prescribed by the Procuring agency pursuant to ITB Clause 16.
 - 15.6 The successful Bidder's bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 32, and furnishing

¹ Inserted by KPPRA Notification No. KPPRA/M&E/Estt:/1-12/2017-18 dated April 05, 2018.

		the performance security, pursuant to ITB Clause 33.
	15.7	 The bid security may be forfeited: a) if a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or b) in the case of a successful Bidder, if the Bidder fails: i. to sign the contract in accordance with ITB Clause 32; or ii. To furnish performance security in accordance with
		ITB Clause 33.
16. Period of Validity of Bids	16.1	Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid opening prescribed by the Procuring agency, pursuant to ITB Clause 19. A bid valid for a shorter period shall be rejected by the Procuring agency as non-responsive.
	16.2	In exceptional circumstances, the Procuring agency may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security provided under ITB Clause 15 shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.
17. Format and Signing of Bid	17.1	The Bidder shall prepare an original and the number of copies of the bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID," as appropriate. In the event of any discrepancy between them, the original shall govern.
	17.2	The original and the copy or copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid.
	17.3	Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.
	17.4	The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.
		D. Submission of Bids
18. Sealing and Marking of Bids	18.1	The Bidder shall seal the original and each copy of the bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
	18.2	The inner and outer envelopes shall:
		 a. be addressed to the Procuring agency at the address given in the Bid Data Sheet; and b. bear the Project name indicated in the Bid Data Sheet, the Invitation for Bids (IFB) title and number indicated in the Bid Data Sheet, and a statement: "DO NOT OPEN BEFORE," to be completed with the time and the date specified in the Bid Data Sheet, pursuant to ITB Clause 2.2.
	18.3	The inner envelopes shall also indicate the name and address of the Bidder to enable the bid to be returned unopened in case it is declared "late".

	18.4	If the outer envelope is not sealed and marked as required by ITB Clause 18.2, the Procuring agency will assume no responsibility for the bid's misplacement or premature opening.
19. Deadline for Submission of Bids	19.1	Bids must be received by the Procuring agency at the address specified under ITB Clause 18.2 no later than the time and date specified in the Bid Data Sheet.
	9.2	The Procuring agency may, at its discretion, extend this deadline for the submission of bids by amending the bidding documents in accordance with ITB Clause 7, in which case all rights and obligations of the Procuring agency and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
20. Late Bids	20.1	Any bid received by the Procuring agency after the deadline for submission of bids prescribed by the Procuring agency pursuant to ITB Clause 19 will be rejected and returned unopened to the Bidder.
21. Modification and Withdrawal of Bids	21.1	The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Procuring agency prior to the deadline prescribed for submission of bids.
	21.2	The Bidder's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of ITB Clause 18. By a signed confirmation copy, postmarked not later than the deadline for submission of bids.
	21.3	No bid may be modified after the deadline for submission of bids.
	21.4	No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security, pursuant to the ITB Clause 15.7.
		E. Opening and Evaluation of Bids
22. Opening of Bids by the Procuring agency	22.1	The Procuring agency will open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register evidencing their attendance.
	22.2	The bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Procuring agency, at its discretion, may consider appropriate, will be announced at the opening. No bid shall be rejected at bid opening, except for late bids, which shall be returned unopened to the Bidder pursuant to ITB Clause 20.
	22.3	Bids (and modifications sent pursuant to ITB Clause 21.2) that are not opened and read out at bid opening shall not be considered further for evaluation, irrespective of the circumstances. Withdrawn bids will be returned unopened to the bidders.
	22.4	The Procuring agency will prepare minutes of the bid opening.

23. Clarification of Bids	23.1	During evaluation of the bids, the Procuring agency may, at its discretion, ask the Bidder for a clarification of its bid. The Bids request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
24. Preliminary Examination	24.1	The Procuring agency will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
	24.2	Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
	24.3	The Procuring agency may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.
	24.4	Prior to the detailed evaluation, pursuant to ITB Clause 25 the Procuring agency will determine the substantial responsiveness of each bid to the bidding documents. For purposes of these Clauses, a substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, such as those concerning Bid Security (ITB Clause 15), Applicable Law (GCC Clause 30), and Taxes and Duties (GCC Clause 32), will be deemed to be a material deviation. The Procuring agency's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
	24.5	If a bid is not substantially responsive, it will be rejected by the Procuring agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
25. Evaluation and Comparison of Bids	25.1	The Procuring agency will evaluate and compare the bids which have been determined to be substantially responsive, pursuant to ITB Clause 24.
	25.2	The Procuring agency's evaluation of a bid will be on delivered duty paid (DDP) price inclusive of prevailing duties and will exclude any allowance for price adjustment during the period of execution of the contract, if provided in the bid.
	25.3	The Procuring agency's evaluation of a bid will take into account, in addition to the bid price quoted in accordance with ITB Clause 11.2, one or more of the following factors as specified in the Bid Data Sheet, and quantified in ITB Clause 25.4:
		 a. incidental costs b. delivery schedule offered in the bid; c. deviations in payment schedule from that specified in the Special Conditions of Contract; d. the cost of components, mandatory spare parts, and service; e. the availability Procuring agency of spare parts and after-sales services for the equipment offered in the bid;
		 f. the projected operating and maintenance costs during the life of the equipment; the performance and productivity of the equipment offered; and/or g. other specific criteria indicated in the Bid Data Sheet and/or

h. In the Technical Specifications.

- 25.4 For factors retained in the Bid Data Sheet pursuant to ITB 25.3, one or more of the following quantification methods will be applied, as detailed in the Bid Data Sheet:
 - a. Incidental costs provided by the bidder will be added by Procuring agency to the delivered duty paid (DDP) price at the final destination.
 - b. Delivery schedule.
 - The Procuring agency requires that the goods under the Invitation for Bids shall be delivered at the time specified in the Schedule of Requirements which will be treated as the base, a delivery "adjustment" will be calculated for bids by applying a percentage, specified in the Bid Data Sheet, of the DDP price for each week of delay beyond the base, and this will be added to the bid price for evaluation. No credit shall be given to early delivery.
 - or

i.

- ii. The goods covered under this invitation are required to be delivered (shipped) within an acceptable range of weeks specified in the Schedule of Requirement. No credit will be given to earlier deliveries, and bids offering delivery beyond this range will be treated as non-responsive. Within this acceptable range, an adjustment per week, as specified in the Bid Data Sheet, will be added for evaluation to the bid price of bids offering deliveries later than the earliest delivery period specified in the Schedule of Requirements.
- or
- iii. The goods covered under this invitation are required to be delivered in partial shipments, as specified in the Schedule of Requirements. Bids offering deliveries earlier or later than the specified deliveries will be adjusted in the evaluation by adding to the bid price a factor equal to a percentage, specified in the Bid Data Sheet, of DDP price per week of variation from the specified delivery schedule.
- c. Deviation in payment schedule:
 - i. Bidders shall state their bid price for the payment schedule outlined in the SCC. Bids will be evaluated on the basis of this base price. Bidders are, however, permitted to state an alternative payment schedule and indicate the reduction in bid price they wish to offer for such alternative payment schedule. The Procuring agency may consider the alternative payment schedule offered by the selected Bidder.

or

- ii. The SCC stipulates the payment schedule offered by the Procuring agency. If a bid deviates from the schedule and if such deviation is considered acceptable to the Procuring agency, the bid will be evaluated by calculating interest earned for any earlier payments involved in the terms outlined in the bid as compared with those stipulated in this invitation, at the rate per annum specified in the Bid Data Sheet.
- d. Cost of spare parts.
 - i. The list of items and quantities of major assemblies,

components, and selected spare parts, likely to be required during the initial period of operation specified in the Bid Data Sheet, is annexed to the Technical Specifications. The total cost of these items, at the unit prices quoted in each bid, will be added to the bid price.

or ii.

The Procuring agency will draw up a list of highusage and high-value items of components and spare parts, along with estimated quantities of usage in the initial period of operation specified in the Bid Data Sheet. The total cost of these items and quantities will be computed from spare parts unit prices submitted by the Bidder and added to the bid price.

- or
- iii. The Procuring agency will estimate the cost of spare parts usage in the initial period of operation specified in the Bid Data Sheet, based on information furnished by each Bidder, as well as on past experience of the Procuring agency or other procuring agencies in similar situations. Such costs shall be added to the bid price for evaluation.
- e. Spare parts and after sales service facilities in the Procuring agency's country.

The cost to the Procuring agency of establishing the minimum service facilities and parts inventories, as outlined in the Bid Data Sheet or elsewhere in the bidding documents, if quoted separately, shall be added to the bid price.

f. Operating and maintenance costs.

Since the operating and maintenance costs of the goods under procurement form a major part of the life cycle cost of the equipment, these costs will be evaluated in accordance with the criteria specified in the Bid Data Sheet or in the Technical Specifications.

- g. Performance and productivity of the equipment.
 - i. Bidders shall state the guaranteed performance or efficiency in response to the Technical Specification. For each drop in the performance or efficiency below the norm of 100, an adjustment for an amount specified in the Bid Data Sheet will be added to the bid price, representing the capitalized cost of additional operating costs over the life of the plant, using the methodology specified in the Bid Data Sheet or in the Technical Specifications.
 - or
 - ii. Goods offered shall have a minimum productivity specified under the relevant provision in the Technical Specifications to be considered responsive. Evaluation shall be based on the cost per unit of the actual productivity of goods offered in the bid, and adjustment will be added to the bid price using the methodology specified in the Bid Data Sheet or in the Technical Specifications.
- h. Specific additional criteria indicated in the Bid Data Sheet and/or in the Technical Specifications.

The relevant evaluation method shall be detailed in the Bid Data Sheet and/or in the Technical Specifications.

Alternative	25.4	25.4 Merit Point System:
		The following merit point system for weighing evaluation factors can be applied if none of the evaluation methods listed in 25.4 above ha been retained in the Bid Data Sheet. The number of points allocated to each factor shall be specified in the Bid Data Sheet.
		[In the Bid Data Sheet, choose from the range of]
		Evaluated price of the goods
		Cost of common list spare parts
		Technical features, and maintenance and operating costs
		Availability of service and spare parts
		Standardization 60 to 9
		Total 0 to 2
		The bid scoring the highest number of points will 0 to 2 be deemed to be the lowest evaluated bid.
26. Contacting the Procuring agency	26.1	Subject to ITB Clause 23, no Bidder shall contact 0 to 2 the Procuring agency on any matter relating to its bid, from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Procuring agency, it should do so in writing.
	26.2	Any effort by a Bidder to influence the Procuring 0 to 2 agency in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.
		10
		F. Award of Contract
27. Post qualification	27.1	In the absence of prequalification, the Procuring agency will determin to its satisfaction whether the Bidder that is selected as havin submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in ITB Clause 13.3.
	27.2	The determination will take into account the Bidder's financia technical, and production capabilities. It will be based upon a examination of the documentary evidence of the Bidder' qualifications submitted by the Bidder, pursuant to ITB Clause 13.3, a well as such other information as the Procuring agency deem necessary and appropriate.
	27.3	An affirmative determination will be a prerequisite for award of th contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which event the Procuring agency will procee to the next lowest evaluated bid to make a similar determination of that

28. Award Criteria	28.1	Subject to ITB Clause 30, the Procuring agency will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.
29. Procuring agency's Right to Vary Quantities at Time of Award	29.1	The Procuring agency reserves the right at the time of contract award to increase or decrease, by the percentage indicated in the Bid Data Sheet, the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.
30. Procuring agency's Right to accept any Bid and to reject any or All Bids	30.1	The Procuring agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Procuring agency's action.
31. Notification of Award	31.1	Prior to the expiration of the period of bid validity, the Procuring agency will notify the successful Bidder in writing by registered letter or by cable, to be confirmed in writing by registered letter, that its bid has been accepted.
	31.2	The notification of award will constitute the formation of the Contract.
	31.3	Upon the successful Bidder's furnishing of the performance security pursuant to ITB Clause 33, the Procuring agency will promptly notify each unsuccessful Bidder and will discharge its bid security, pursuant to ITB Clause 15.
32. Signing of Contract	32.1	At the same time as the Procuring agency notifies the successful Bidder that its bid has been accepted, the Procuring agency will send the Bidder the Contract Form provided in the bidding documents, incorporating all agreements between the parties.
	32.2	Within thirty (30) days of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to the Procuring agency.
33 Performance Security	33.1	Within twenty (20) days of the receipt of notification of award from the Procuring agency, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the bidding documents, or in another form acceptable to the Procuring agency.
	33.2	Failure of the successful Bidder to comply with the requirement of ITB Clause 32 or ITB Clause 33.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring agency may make the award to the next lowest evaluated Bidder or call for new bids.
34. Corrupt or Fraudulent Practices	34.1	 The Government of Khyber Pakhtunkhwa requires that Procuring agency's (including beneficiaries of donor agencies' loans), as well as Bidders/Suppliers/Contractors under Government-financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the KPPRA, in accordance with the KPP Act, 2009 and Rules made thereunder. a. defines, for the purposes of this provision, the terms set forth below as follows: corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and

ii.	"fraudulent practice" means a misrepresentation of facts
	in order to influence a procurement process or the
	execution of a contract to the detriment of the Procuring
	agency, and includes collusive practice among Bidders
	(prior to or after bid submission) designed to establish
	bid prices at artificial non-competitive levels and to
	deprive the Procuring agency of the benefits of free and
	open competition;

- b. will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
- c. will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a Government-financed contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a Government-financed contract.
- 34.2 Furthermore, Bidders shall be aware of the provision stated in subclause 5.4 and sub-clause 24.1 of the General Conditions of Contract.
- **35. Integrity Pact** 35.1 The Bidder shall sign and stamp the Integrity Pact provided at Form -7 to Bid in the Bidding Document for all Provincial Government procurement contracts exceeding Rupees ten million. Failure to such Integrity Pact shall make the bidder non-responsive.

Part One - Section II.

General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract in Part One Section II, read in conjunction with the Special Conditions of Contract in Part Two Section III and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

The General Conditions of Contract herein shall not be altered. Any changes and complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract in Part Two Section III.

General Conditions of Contract

1. Definitions	1.1	In this Contract, the following terms shall be interpreted as indicated:
		a. "The Contract" means the agreement entered into between the Procuring agency and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
		b. "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
		c. "The Goods" means all of the equipment, machinery, and/or other materials which the Supplier is required to supply to the Procuring agency under the Contract.
		d. "The Services" means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
		e. "GCC" means the General Conditions of Contract contained in this section.
		f. "SCC" means the Special Conditions of Contract.
		g. "The Procuring agency" means the organization purchasing the Goods, as named in SCC.
		h. "The Procuring agency's country" is the country named in SCC.
		i. "The Supplier" means the individual or firm supplying the Goods and Services under this Contract.
		j. "The Project Site," where applicable, means the place or places named in SCC.
		k. "Day" means calendar day.
2. Application	2.1	These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.
3. Country of Origin	3.1	All Goods and Services supplied under the Contract shall have their origin in the countries and territories eligible under the rules and `further elaborated in the SCC.
	3.2	For purposes of this Clause, "origin" means the place where the Goods were mined, grown, or produced, or from which the Services are supplied. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
	3.3	The origin of Goods and Services is distinct from the nationality of the Supplier.

4. Standards	4.1	The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the concerned institution.
5. Use of Contract Documents and Information; Inspection and Audit by the Government	5.1	The Supplier shall not, without the Procuring agency's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring agency in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
	5.2	The Supplier shall not, without the Procuring agency's prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of performing the Contract.
	5.3	Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Procuring agency and shall be returned (all copies) to the Procuring agency on completion of the Supplier's performance under the Contract if so required by the Procuring agency.
	5.4	The Supplier shall permit the Procuring agency to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the procuring agency, if so required.
6. Patent Rights	6.1	The Supplier shall indemnify the Procuring agency against all third- party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring agency's country.
7. Performance Security	7.1	Within twenty (20) days of receipt of the notification of Contract award, the successful Bidder shall furnish to the Procuring agency the performance security in the amount specified in SCC.
	7.2	The proceeds of the performance security shall be payable to the Procuring agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
	7.3	The performance security shall be denominated in the currency of the Contract acceptable to the Procuring agency and shall be in one of the following forms:
		a. a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the Procuring agency's country, in the form provided in the bidding documents or another form acceptable to the Procuring agency; or
		b. a cashier's or certified check.
	7.4	The performance security will be discharged by the Procuring agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in SCC.

8. Inspections and Tests	8.1	The Procuring agency or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring agency. SCC and the Technical Specifications shall specify what inspections and tests the Procuring agency requires and where they are to be conducted. The Procuring agency shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
	8.2	The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring agency.
	8.3	Should any inspected or tested Goods fail to conform to the Specifications, the Procuring agency may reject the Goods, and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Procuring agency.
	8.4 8.5	The Procuring agency's right to inspect, test and, where necessary, reject the Goods after the Goods' arrival in the Procuring agency's country shall in no way be limited or waived by reason of the Goods having previously been inspected, tested, and passed by the Procuring agency or its representative prior to the Goods' shipment from the country of origin. Nothing in GCC Clause 8 shall in any way release the Supplier from
9. Packing	9.1	any warranty or other obligations under this Contract. The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	9.2	The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the Procuring agency.
10. Delivery and Documents	10.1	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are specified in SCC.
	10.2	Documents to be submitted by the Supplier are specified in SCC.

11. Insurance	11.1	The Goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after having been delivered, hence insurance coverage is sellers' responsibility.
12. Transportation	12.1	The Supplier is required under the Contact to transport the Goods to a specified place of destination within the Procuring agency's country, transport to such place of destination in the Procuring agency's country, including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
13. Incidental Services	13.1	The Supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
		a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
		b. furnishing of tools required for assembly and / or maintenance of the supplied Goods;
		c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
		d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
		e. training of the Procuring agency's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	13.2	Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged for other parties by the Supplier for similar services.

14. Spare Parts	14.1	As specified in SCC, the Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
		a. such spare parts as the Procuring agency may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under the Contract; and
		b. in the event of termination of production of the spare parts:
		i. advance notification to the Procuring agency of the pending termination, in sufficient time to permit the Procuring agency to procure needed requirements;
		ii. Following such termination, furnishing at no cost to the Procuring agency, the blueprints, drawings, and specifications of the spare parts, if requested.
15. Warranty	15.1	The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Procuring agency's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
	15.2	This warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
	15.3	The Procuring agency shall promptly notify the Supplier in writing of any claims arising under this warranty.
	15.4	Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without costs to the Procuring agency.
	15.5	If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, within a reasonable period, the Procuring agency may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring agency may have against the Supplier under the Contract.
16. Payment	16.1	The method and conditions of payment to be made to the Supplier under this Contract shall be specified in SCC.
	16.2	The Supplier's request(s) for payment shall be made to the Procuring agency in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and Services performed, and by documents submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the Contract.
	16.3	Payments shall be made promptly by the Procuring agency, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier.

	16.4	The currency of payment is Pak. Rupees.
17. Prices	17.1	Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in SCC or in the Procuring agency's request for bid validity extension, as the case may be.
18. Change Orders	18.1	The Procuring agency may at any time, by a written order given to the Supplier pursuant to GCC Clause 31, make changes within the general scope of the Contract in any one or more of the following:
		a. drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Procuring agency;
		b. the method of shipment or packing;
		c. the place of delivery; and/ord. the Services to be provided by the Supplier.
	18.2	If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the Supplier's receipt of the Procuring agency's change order.
19. Contract Amendments	19.1	Subject to GCC Clause 18, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.
20. Assignment	20.1	The Supplier shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring agency's prior written consent.
21. Subcontracts	21.1	The Supplier shall notify the Procuring agency in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.
	21.2	Subcontracts must comply with the provisions of GCC Clause 3.
22. Delays in the Supplier's Performance	22.1	Delivery of the Goods and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring agency in the Schedule of Requirements.
	22.2	If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Procuring agency in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Procuring agency shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.
	22.3	Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of liquidated damages.

23. Liquidated Damages	23.1	Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in SCC. Once the maximum is reached, the Procuring agency may consider termination of the Contract pursuant to GCC Clause 24.

24. Termination for Default 24.1 The Procuring agency, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:

- a. if the Supplier fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring agency pursuant to GCC Clause 22; or
- b. if the Supplier fails to perform any other obligation(s) under the Contract.
- c. if the Supplier, in the judgment of the Procuring agency has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

For the purpose of this clause:

"Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

"fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition.

24.2 In the event the Procuring agency terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Procuring agency may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring agency for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

25. Force Majeure	25.1	Notwithstanding the provisions of GCC Clauses 22, 23, and 24, the Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
	25.2	For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Procuring agency in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
	25.3	If a Force Majeure situation arises, the Supplier shall promptly notify the Procuring agency in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring agency in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
26. Termination for Insolvency	26.1	The Procuring agency may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring agency.
27. Termination for Convenience	27.1	The Procuring agency, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring agency's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
	27.2	The Goods that are complete and ready for shipment within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring agency at the Contract terms and prices. For the remaining Goods, the Procuring agency may elect:
		a. to have any portion completed and delivered at the Contract terms and prices; and/or
		b. To cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Services and for materials and parts previously procured by the Supplier.
28. Resolution of Disputes	28.1	The Procuring agency and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
	28.2	If, after thirty (30) days from the commencement of such informal negotiations, the Procuring agency and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in SCC. These mechanisms may include, but are not restricted to, conciliation mediated by a third party, adjudication in an agreed manner and/or arbitration.

29. Governing Language	29.1	The Contract shall be written in the language specified in SCC. Subject to GCC Clause 30, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.
30. Applicable Law	30.1	The Contract shall be interpreted in accordance with the laws of the Procuring agency's country, unless otherwise specified in SCC.
31. Notices	31.1	Any notice given by one party to the other pursuant to this Contract shall be sent to the other party in writing or by cable, telex, or facsimile and confirmed in writing to the other party's address specified in SCC.
	31.2	A notice shall be effective when delivered or on the notice's effective date, whichever is later.
32. Taxes and Duties	32.1	Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Procuring agency.



Government of Khyber PakhtunkhwaHealth

Department

Bid Solicitation Documents (BSD) For NationalCompetitive Bidding (NCB) For

Procurement of Machinery & Equipment, Instruments and Other Hospital Supplies Etc.

Under The Project Activity

Strengthening Of All BHUs across Khyber Pakhtunkhwa and Conversion of 200 BHUs into 24/7 SBA Facilities

&

Rehabilitation of All RHCs across Khyber Pakhtunkhwa and Conversion of 50 RHCs into 24/7 Facilities of Health Department, Khyber Pakhtunkhwa

FY 2021-22

PART TWO (PROCUREMENT SPECIFIC PROVISIONS)

- Invitation for Bids (IFB)
- Bid Data Sheet (BDS)
- Special Conditions of Contract (SCC)
- Schedule of Requirements
- Technical Specifications
- Sample Forms
- Eligibility

Preface

These Bidding Documents have been prepared for use by procuring agencies in the procurement of goods through National Competitive Bidding (NCB).

In order to simplify the preparation of bidding documents for each procurement, the Bidding Documents are grouped in two parts based on provisions which are fixed and that which are specific for each procurement. Provisions which are intended to be used unchanged are in Part one, which includes Section I, Instructions to Bidders, and Section II, General Conditions of Contract. Data and provisions specific to each procurement and contract are included in Part Two which includes Section II, Bid Data Sheet; Section III, Special Conditions of Contract; Section IV, Schedule of Requirements; Section V, Technical Specifications; and the forms to be used in Section I, Invitation for Bids, and Section VI, Sample Forms.

This is Part Two and contains data and provisions specific to each procurement. Care should be taken to check the relevance of the provisions of the Bidding Documents against the requirements of the specific goods to be procured. The following general directions should be observed when using the documents. In addition, each section is prepared with notes intended only as information for the Procuring agency or the person drafting the bidding documents. They shall not be included in the final documents, except for the notes introducing Section VI, Forms, where the information is useful for the Bidder.

- a. Specific details, such as the "name of the Procuring agency" and "address for bid submission," should be furnished in the Invitation for Bids, in the Bid Data Sheet, and in the Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- b. Amendments, if any, to the Instructions to Bidders and to the General Conditions of Contract should be made through the Bid Data Sheet and the Special Conditions of Contract, respectively.
- c. Footnotes or notes in italics included in the Invitation for Bids, Bid Data Sheet, Special Conditions of Contract, and in the Schedule of Requirements are not part of the text of the document, although they contain instructions that the Procuring agency should strictly follow. The final document should contain no footnotes.
- d. The criteria for bid evaluation and the various methods of evaluation in the Instructions to Bidders (Clauses 25.3 and 25.4, respectively) should be carefully reviewed. Only those that are selected to be used for the procurement in question should be retained and expanded, as required, in the Bid Data Sheet or in the Technical Specifications, as appropriate. The criteria that are not applicable should be deleted from the Bid Data Sheet.
- e. Clauses included in the Special Conditions of Contract are illustrative of the provisions that should be drafted specifically by the Procuring agency for each procurement.
- f. The forms provided in Section VI should be completed by the Bidder or the Supplier; the footnotes in these forms should remain, since they contain instructions which the Bidder or the Supplier should follow.

Part Two

Section I. Invitation for Bids

Notes on the Invitation for Bids

The Invitation for Bids (IFB) shall be issued as an advertisement in at least three newspaper of general circulation in the Province of Khyber Pakhtunkhwa or Authorities web site as the case may be, allowing at least fifteen days for NCB and forty five days(45) ICB for bid preparation and submission ;

The Invitation for Bids provides information that enables interested bidders to decide whether to participate. Apart from the essential items listed in the Standard Bidding Documents (SBD), the Invitation for Bids should also indicate any important bid evaluation criteria or qualification requirement (for example, a requirement for a minimum level of experience in manufacturing a similar type of goods for which the Invitation for Bids is issued) and that the bidders should give their best and final prices as no negotiations are allowed.

The Invitation for Bids should be incorporated into the bidding documents. The information contained in the Invitation for Bids must conform to the bidding documents and in particular to the relevant information in the Bid Data Sheet.

Invitation for Bids

Procurement of Machinery & Equipment, Instruments and Other Hospital Supplies Etc. Under The Project Activity

Strengthening of All BHUs across Khyber Pakhtunkhwa and Conversion of 200 BHUs into 24/7 SBA Facilities & Rehabilitation of All RHCs across Khyber Pakhtunkhwa and Conversion of 50 RHCs into 24/7 Facilities of Health Department, Khyber Pakhtunkhwa for FY 2021-22

- 1. The Project Director invites sealed bids under National Competitive Bidding from Manufacturers and/or Importer and/or authorized sole agents and/or authorized distributor for the Procurement of Machinery & Equipment, Instruments and Other Hospital Supplies Etc. for financial year 2021-22.
- 2. Bidding shall be conducted through Single Stage –Two Envelopes Bidding Procedure comprising a single package containing two envelopes as per KPPRA Rules 2014. Each envelope shall contain separately Technical and Financial bid clearly marked in bold & legible letters. The firms are bound to provide complete information of the bidder along with its postalas well as valid email address and phone number/s on each of the respective envelope.
- 3. Interested Bidders must obtain complete set of bidding documents from the office of Project Director during office hours on any working day till 08 March 2022, The Bidding Documents can also be downloaded from the following official websites.<u>www.healthkp.gov.pk</u>, www.kppra,gov.pk.
- 4. A Pre-bid meeting will be held on 28 Feb 2022 at 10:00 am in the Committee Room of Directorate General Health Services KP Peshawar. The bidders are requested to thoroughly study the Bid Solicitation Documents before the pre-bid meeting for any clarification of their queries during the said meeting.
- 5. Interested Bidders must submit sealed bids to the Office of the Project Director, on or before 11:00 a.m. 08 March 2022 which will be opened on the same day at 11:30 <u>a</u>.m. in the presence of those bidders or their representatives, who choose to attend the process. Bid submitted after 11:00 a.m. shall not be entertained.
- 6. Financial Bid must be accompanied with Bid Security of 2% of the quoted prices and the same shall be in the shape of Demand Draft (DD) / Call Deposit Receipt (CDR) in the name of the undersigned and the bid security shall be submitted from the account of the firm / bidder who submits the bid. Ordinary cheque and Payment Order (PO) in the form of bid security will result in disqualification of bidder as per KPPRA Act and Rules. The bidder shall, in addition, keep an affidavit in the technical proposal stating that a bid security amounting to 2 percent, without indicating the figure in the letter, has been placed in the financial proposal.
- 7. Bid must be computer typed & printed and the offered bid price must be written both in figures, however if mentioned in words shall be appreciated. Quotations with cutting and/or overwriting shall not be accepted to the extent of that particular quoted item having cutting / overwriting / erasing. An authorized person of the bidder / firm shall sign & stamp all pages of the bid. The same shall also contain product details in the form of original catalogue / brochures, if applicable.
- 8. The bidder/s are required to submit sample/s for evaluation / examination to the procuring entity as per time & date communicated by procuring entity through email/phone or as per detail mentioned in BSD.
- 9. The undersigned reserves the right to reject any or all the bids as per provisions contained in Rule47 of KPPRA Rules 2014.

Project Director

Strengthening of all BHU'S across KP and conversion of 200 BHU'S into 24/7 SBA Facilities & Rehabilitation of all RHC's across KP and Conversion of 50 RHC'S into 24/7 Facilities

Directorate General Health Services Khyber Pakhtunkhwa (Ex-Fata Secretariat), Warsak Road, Peshawar

Section II. Bid Data Sheet

Notes on the Bid Data Sheet

Section II is intended to assist the Procuring agency in providing the specific information in relation to corresponding clauses in the Instructions to Bidders included in Part one Section I, and has to be prepared for each specific procurement.

The Procuring agency should specify in the Bid Data Sheet information and requirements specific to the circumstances of the Procuring agency, the processing of the procurement, the applicable rules regarding bid price and currency, and the bid evaluation criteria that will apply to the bids. In preparing Section II, the following aspects should be checked:

- a. Information that specifies and complements provisions of Part One Section I must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of Part One Section I as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB) Part One. Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

	Intro	oduction
ITB 1.1	Name of Procuring Agency of Government of Khyber Pakhtunkhwa.	Government of Khyber Pakhtunkhwa. Health Department, Khyber Pakhtunkhwa
ITB 1.1	Loan or credit or Project allocation number. Loan or credit or Project allocation amount.	ADP number: 200040/2021-22 200045/2021-22
ITB 1.1	Name of Project& Source of Fund.	Strengthening of all BHU's across KP and conversion of 200 BHU's into 24/7 SBA facilities & Rehabilitation of all RHCs across KP and conversion of 50 RHCs into 24/7 facilities
ITB 1.1	Name of Contract.	Procurement Machinery & Equipment, Instruments and Other Hospital Supplies Etc
ITB 4.1	Name of Procuring agency.	Project Director Strengthening of all BHU's across KP and conversion of 200 BHU's into 24/7 SBA facilities & Rehabilitation of all RHCs across KP and conversion of 50 RHCs into 24/7 facilities Pakhtunkhwa.
ITB 6.1	Procuring agency's address, telephone, telex, and facsimile, numbers.	Health Department, Khyber Pakhtunkhwa
ITB 8.1	Language of the bid.	English
Bid Price	e and Currency	
ITB 11.2	Price quoted shall be:	Pakistan Rupees (Rs.)
ITB 11.5	The price shall be fixed	The price shall be fixed and valid till 30 th June 2022
Preparat	ion and Submission of Bids	
ITB 13.3 (d)	Qualification requirements.	Manufacturer/Importer/ Sole agent of Manufacture, importer, and distributor. For Category A and B Manufacturer, Importer and Sole agent while for Category C and Category D Manufacturer/Importer/ Sole agent of Manufacture, importer, and distributor.
ITB 14.3 (b)	Spare parts required for period of yearsof operation.	 Three Years free of cost provision of services and spare parts with 2 years' service only for Category A and Category D, three Years for Cat B and one year for Category C. Ten Years parts availability in market andwill provide certificate for the same.
ITB 15.1 ITB 16.1	Amount of bid security. Bid validity period.	Bid security fix amount for Cat-A Rs. 800000, Cat-B Rs. 500000, Cat-C Rs. 400000 & Cat-D Rs. 300000. The Bid security shall be from bank account of the bidder. Ordinary cheque and Payment Order (PO) in the form of bid security will result in bid rejection summarily.90 Days from the date of opening of bids

ITB 17.1	Number of copies.	Number of copies.
		(i) The bid package must be in a single envelope as the tender process for the activity shall be <u>SINGLE-STAGE</u> , <u>TWO-ENVELOPE</u> .
		(ii) The envelopes shall be marked as "FINANCIAL PROPOSAL" and "TECHNICAL PROPOSAL" in bold and legible letters to avoid confusion.
		(iii) Similarly, the Bidder shall seal the proposals/bids in separate envelopes. The envelopes shall then be sealed in an outer envelope marked with a Reference Number & Tender No.
		(iv) The inner and outer envelopes shall:
		(a) be addressed to the Procuring Entity at the address given in the Invitation for Bids; and
		(b) Bid Reference, Tender No./ Items No. indicated in Schedule of Requirements & Technical Specifications and a statement: "DO NOT OPEN BEFORE," the time and the date specified for opening of Bids.

	Address for bid submission.	Project Director for Upgradation of BHUs and RHCs, Directorate
(a)		General Health Services Khyber Pakhtunkhwa, (Ex-Fata
		Secretariat), Warsak Road, Peshawar
ITB 18.2	IFB title and number.	As in IFB
(b)		
ITB 19.1	Deadline for bid submission.	11:00 am 08 March 2022
ITB 19.3	Pre-Bid meeting with the bidders	10:00 am 28 Feb 2022
ITB 22.1	Time, date, and place for bid opening.	11:30 am 08 March 2022 DHGS KP
Bid Evaluati on		
ITB 23.1 C		
118 23.10		
ITB 23.1 C	Criteria for bid evaluation.	Merit Point Evaluation The items ranked highest in merit points (obtained through and based on technical and financial evaluation).
		points (obtained through and based on technical and financial

Contract	Award	
ITB 28.1	Award Criteria	Section 2 (c)(i) of KPPRA act 2012
Alternativ e		
ITB 25.4	Specify the evaluation factors.	Not Applicable
(h)	reference to the Technical Specifications.	
(g) ITB 25.4	equipment. Details on the evaluation method or	As in section on Technical Evaluation of bids.
ITB 25.4	Performance and productivity of	Not Applicable
ITB 25.4 (f)	Operating and maintenance costs.	Not Applicable
ITB 25.4 (e)	Spare parts and after sales service facilities in the Procuringagency's country.	Not Applicable
ITB 25.4 (d)	Cost of spare parts.	Not Applicable
(c) (ii)	Annual interest rate.	
ITB 25.4	should be higher.] Deviation in payment schedule.	Not Applicable
	<i>a</i> <i>reasonable figure. The percentage of</i> <i>liquidateddamages specified in SCC</i>	
(III)	in the currency of bid evaluation, [A rate of one-half (0.5) percent per week is	
Option (iii)	or adjustment expressed in an amount	
Option (ii)	percentage,or adjustment expressed in an amount inthe currency of bid evaluation,	
Option (i)	adjustment expressed as a	Not Applicable

Contract Award				
ITB 29.1	Percentage for quantity increase or	Procuring Entity reserves the right to for variation		
	decrease.	in quantity/es of item/s based on availability of		
		funds and Comparison with Approved Selection		
		&Rate Contracting. Contract will be awarded on		
		based of value for money and KPPRA Principle.		

Section III. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the Bid Data Sheet in Section II, the clauses in this Section are intended to assist the Procuring agency in providing contract-specific information in relation to corresponding clauses in the General Conditions of Contract.

The provisions of Section III complement the General Conditions of Contract included in Part one, Section II, specifying contractual requirements linked to the special circumstances of the Procuring agency, the Procuring agency's country, the sector, and the Goods purchased. In preparing Section III, the following aspects should be checked:

- a. Information that complements provisions of Part one Section II must be incorporated.
- b. Amendments and/or supplements to provisions of Part one Section II, as necessitated by the circumstances of the specific purchase, must also be incorporated.

Special Conditions of Contract

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

1. Definitions (GCC Clause 1)

GCC 1.1 (g)—The Procuring agency is: Project Director Strengthening of all BHU's across KP and conversion of 200 BHU's into 24/7 SBA facilities & Rehabilitation of all RHCs across KP and conversion of 50 RHCs into 24/7 facilities Pakhtunkhwa. GCC 1.1 (h)—The Procuring agency's country is: Pakistan.

GCC 1.1 (i)—The Supplier is: Manufacture, Importer, Sole agents, and distributors.

Sample Provision

GCC 1.1 (j)—The Project Site:

When required, the Focal Person of the bidder will be informed on phone or through email to provide samples of the items in sufficient / required quantity for examination / analysis to the office or any other place notified by the PE, at bidder's own risk and cost at the time and date communicated. The samples will be returnable, and no payment shall be made to bidder / Focal Person on this account. Notified technical committee for sample shall evaluate the samples provided.

2. Country of Origin (GCC Clause 3)

All countries and territories as indicated in Part Two Section VI of the bidding documents, "Eligibility for the Provisions of Goods, Works, and Services in Government-Financed Procurement".

3. Performance Security (GCC Clause 7)

GCC 7.1— the amount of performance security, as a percentage of the Contract Price, shall be 10% i.e. of the total value of each individual supply order placed to the successful bidder. However, the Standard bid security of the bid value elaborated in Section-IV, Statement of Requirement, of this document, from the successful bidders as received at the time of bids submission under GCC Clause 15 shall be retained by the PE as Bid Security and will be released back to successful bidders after receipt of 10% performance security on each individual supply order placed by the respective procuring entity and will be retained by procuring entity till completion of warranty period.

4. Inspections and Tests (GCC Clause 8)

GCC 8.6—Inspection and tests prior to shipment of Goods and at final acceptance are as follows:

- 1. Technical Evaluation shall be conducted by the Technical and Evaluation (T&E) Committee to undertake verification of documents submitted by the bidder/s along with the technical bids as well as to conduct the physical inspection of the various samples/relevant premises as per rent agreement or ownership etc.
- 2. Equipment and other items supplied for sample tests shall be examined and tested by a panel of experts of the T&E Committee of the Government for submission of technical report to the relevant forum for the needful.
- 3. Sample tests as well as pre-shipment inspections will also be carried out as and when needed before signing of contract agreement with all the successful bidders.
- 4. Any other appropriate method may be adopted by the T&E Committee, and / or purchase committee to assess and/or assure the quality of goods being purchased. The Procuring Agency reserves the rights to reject the quoted items/equipment at any stage before award of contract in case of any deviation from the standard specs.

5. Packing (GCC Clause 9)

GCC 9.3—The following SCC shall supplement GCC Clause 9.1 and Clause 9.2:

6. Delivery and Documents (GCC Clause 10)

Applicable Delivery Mode: Delivered Duty Paid (DDP) as per contract agreement of the Successful with the Procuring Agency

7. Insurance (GCC Clause 11)

GCC 11.1— The Goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after having been delivered, hence insurance coverage is sellers' responsibility. Since the Insurance is seller's responsibility, they may arrange appropriate coverage.

8. Incidental Services (GCC Clause 13)

GCC 13.1— The following SCC shall supplement GCC Clause 13.1 and Clause 13.2:

9. Spare Parts (GCC Clause 14)

GCC 14.1—Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods. Other spare parts and components shall be supplied as promptly as possible, but in any case, within six (6) months of placing the order and opening the letter of credit.

10. Warranty (GCC Clause 15)

The Supplier shall provide warranty as per the terms and conditions of the Contract Agreement with Procuring Agency

GCC 15.2—In partial modification of the provisions, the warranty period shall be as per contract terms and conditions. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the Contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, at its discretion, either:

- a. Make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests in accordance with SCC 4, or
- b. Pay liquidated damages to the Procuring agency with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be higher than the adjustment price used in bid evaluation.
- GCC 15.4 & 15.5—The period for correction of defects in the free warranty period is three years after installation with free parts and free services, including all incidental charges, but with all incidental charges related to services provision on the site of installation.

11. Payment (GCC Clause 16)

GCC Clause 16 as well as under the terms and condition in Contract Agreement with the Procuring Agency, the goods supplied under the Contract shall be delivered duty paid (DDP) under which risk is transferred to the buyer after the goods having been delivered; hence insurance coverage is seller's responsibility, for which they may arrange appropriate coverage. Payment shall be made in Pak. Rupees in accordance with the relevant and applicable government rules and regulations. Payment shall not be made for partial and incomplete supply of goods.

12. Prices (GCC Clause 17)

i. The bidder will not quote price of any item/s which is/are higher than the prices quoted by the bidder across the country to any procuring entity of the quoted item/s through public funding.

ii. In case the bid price is higher than estimated cost, the Procuring agency has the right to reject the bid and scrap the process without any liability.

iii. In case of single bid after technical evaluation, the procuring agency may carry out the market analysis before issuing a letter of consent to the successful bidder.

13. Liquidated Damages (GCC Clause 23)

As in relevant clauses of the Rate Contract Agreement signed by the Supplier with the Procuring Agency. Penalties shall be imposed as per contract agreement and blacklisting & debarment guidelines of the department if the firm deviates from Rate Contract Agreement.

14. Resolution of Disputes (GCC Clause 28)

GCC 28.3—the dispute resolution mechanism to be applied pursuant to GCC Clause 28.2 shall be as follows:

In the case of a dispute between the Procuring agency and the Supplier, the dispute shall be referred to adjudication or arbitration in accordance with the laws of the Procuring agency's country.

15. Governing Language (GCC Clause 29)

GCC 29.1—The Governing Language shall be: English

16. Applicable Law (GCC Clause 30)

GCC 30.1-The Contract shall be interpreted in accordance with the laws of Islamic Republic of Pakistan which includes the following legislation:

The Employment of Children (ECA) Act 1991 The Bonded Labor System (Abolition) Act of 1992 The Factories Act 1934

17. Notices (GCC Clause 31)

GCC 31.1—procuring agency's address for notice purposes: Office of the project director PMU Primary Revamp Project DGHS KP Peshawar —Supplier's address for notice purposes: Suppliers Address

18. Duties & Taxes (GCC clause 32)

The Unit price quoted by the bidder shall be: inclusive of all applicable duties and taxes. All prices shall include relevant taxes & duties, where applicable. The benefit of exemption from or reduction in the GST or other taxes shall be passed on to the Purchasing Agency.

19. Specific Requirements.

The bidder must quote competitive price for the selected items.

- 1. Furthermore, if the prices quoted by bidders for the quoted items found more than the prices already approved in APPROVED RATES FOR SELECTION & RATE CONTRACTING FOR MACHINERY & EQUIPMENT, INSTRUMENTS & OTHER HOSPITAL SUPPLIES, ETC FOR FY 2021-22, the procuring entity has the authority to purchase on the prices already approved.
- 2. The precuring entity has the authority to compare the quoted prices of items with the market prices and if the PE found variation in prices the PE can drop the item/Items.

Section IV. Schedule of Requirements

Notes for Preparing the Schedule of Requirements

The Schedule of Requirements shall be included in the bidding documents by the Procuring agency, and shall cover, at a minimum, a description of the goods and services to be supplied and the delivery schedule.

The objective of the Schedule of Requirements is to provide sufficient information to enable bidders to prepare their bids efficiently and accurately, in particular, the Price Schedule, for which a form is provided in Section VI. In addition, the Schedule of Requirements, together with the Price Schedule, should serve as a basis in the event of quantity variation at the time of award of contract pursuant to ITB Clause 29.

The date or period for delivery should be carefully specified, taking the date prescribed herein from which the Procuring agency's delivery obligations start (i.e., notice of award, contract signature, opening or confirmation of the letter of credit).

Schedule of Requirements

Instructions relating to Category A, B, C and D:

As detailed elsewhere in this document, bid security of 2% shall be submitted by each bidder.

The mode of provision of bid security shall be in accordance with the modalities as laid down in the relevant KPPRA Rules and these Bid solicitation documents.

All certifications (i.e. authorization, ISOs, NTN, and STN etc.) and data/ documents shall be valid. T&E committee will carry out the verifications before award of contract and in case of any fraudulent practice; legal action will be taken against the bidder concerned. Any certificateexpires before bid opening will not be entertained.

Non-Provision of mandatory documents mention in these BSDs shall lead to disqualification of the firm for the quoted equipment / items.

The order may increase / decrease as per requirement / decision of the purchasing entity.

The Procuring Agency, at any stage of the procurement proceedings, having credible reasons for or prima facie evidence of any defect in Supplier's capacities may require the Suppliers to provide information concerning their professional, technical, financial, legal or managerial competence.

The Procuring Entity has the right to inspect (if needed) the premises of bidder to inspect the setups ensuring proper after sales services, verify documents (if needed) mentioned in technical bids and any other relevant details. Premises (office/workshop) of bidder shall be insured through ownership/or Rent agreement.

The Bid security shall be from bank account of the bidder. Ordinary cheque and Payment Order (PO) in the form of bid security shall result in bid rejection.

The prices quoted by the bidder shall be inclusive of all applicable duties and taxes. All pricesshall include relevant taxes & duties, where applicable. The benefit of exemption from or reduction in the GST or other taxes shall be passed on to the Procuring Agency.

Different models/ prices offered for a single item by the same bidder shall be considered as alternate bid and shall be non-responsive.

Any reservations on BSD including criteria, specifications etc. (if any) shall be submitted in writing in the Pre-bid meeting by authorized person/representative of the firm during the period of Pre Bid.

The schedule for supply of goods shall be as under:

Within 90 days for Category A from the date of issuance of supply order by the Purchasing Agency.

Within 60 days for Category B,C,D from the date of issuance of supply order by the PurchasingAgency.

The equipment / Items will be delivered to BHUs and RHCs. List of BHUs and RHCs will be provided to the successful bidders.

S.No	Equipments / Items Name	Total Qty. req. for BHUs	Total Qty. req. for RHCs	Grand Total
	Category A	I		
1	Autoclave 50L Electric	101	0	101
2	Baby Phototherapy	101	44	145
3	Baby Suction Machine	0	15	15
4	CTG Machine	0	44	44
5	ECG Machine 3 Channels	0	44	44
6	Electrical Instrument Sterilizer / Autoclave	0	44	44
7	Emergency light with single reflector AC/DC Or Examination light AC/DC	0	15	15
8	Hot air oven	0	20	20
9	Infant baby/radiant warmer	101	44	145
10	Nebulizer	422	44	466
11	Oxygen Concentrator	0	20	20
12	Portable Ultrasound Machine	101	35	136
13	Shadowless Lamps	101	0	101
14	Sonic Aid Machine/ Fetus Heart Detector/Fetal doppler	422	44	466
15	Sucker Machine	422	0	422
16	X-Ray Machine 500ma	0	2	2
	Category B	I		
1	Baby Cot	422	88	510
2	D&C set	422	44	466
3	Delivery set	422	44	466
4	Delivery Table Local	101	25	126
5	Dressing drum	0	44	44
6	Dressing Instrument set for ward	0	44	44
7	Dressing Table/trolly	0	44	44
8	Drip Stand	523	88	611
9	Emergency Tray (Kidney Tray)	523	44	567
10	Episiotomy Set	101	0	101

11	Episiotomy Suture with needle	101	0	101
12	Examination Couch	0	44	44
13	Fetoscope/Pinard Fetoscope	422	0	422
14	General instrument set	0	44	44
15	Instrument trolly	0	44	44
16	Iron Bed Fowler type	0	30	30
17	IUD insertion kit	422	44	466
18	Medicine Trolley	101	0	101
19	Neonatal Resuscitation Trolley (Local)	101	15	116
20	Oxygen Cylinder 48cft with stand	422	44	466
21	Patients stool	0	132	132
22	Sim's vaginal speculum	101	0	101
23	Vaginal Speculum cuscos all sizes	0	44	44
24	Sterilizer	422	0	422
25	Stretcher Trolley	0	15	15
26	Tray with cover large size 14" x 12"	0	132	132
27	Ward Screen	0	44	44
28	Wheel Chair	422	44	466
	Category C		I	I
1	Adult Ambu Bag with Mask	422	44	466
2	Adult Stethoscope	523	44	567
3	Adult Weighing Scale	422	44	466
4	ARI Timer	422	0	422
5	Baby Weighing scale	422	44	466
6	Bed Pans	422	0	422
7	Blood Pressure Apparatus with Floor Type (stand type)	422	44	466
8	Bulb Sucker	844	0	844
9	Examination Light with Halogen bulb	101	0	101
10	Height scale	101	0	101
11	Infant Ambu Bag with Mask	422	44	466
12	Laryngoscope	0	44	44

13	Macintosh/Plastic apron	101	0	101
14	Manual vaccum aspirator	422	0	422
15	Precision finger pulse oximeter	422	44	466
16	Thermal gun	321	0	321
17	Thermometer digital	844	0	844
	Category D			
1	Biometric Machine	101	0	101
2	UPS with batteries	101	44	145
3	Water Dispenser	422	0	422

Section V. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for bidders to respond realistically and competitively to the requirements of the Procuring agency without qualifying their bids. The specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the goods be new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided for otherwise in the contract.

Samples of specifications from previous similar procurements in the same country are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods, although not necessarily to be used in a particular procurement. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards of the Borrower's country or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest current edition or revision of the relevant shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent."

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring agency with the bidding documents. Similarly, the Supplier may be requested to provide drawings or samples either with its bid or for prior review by the Procuring agency during contract execution.

Technical Specifications

Category A

S. No	Equipment / Items name	Specifications
1.	Autoclave 50L Electric	Autoclave
		Capacity 50 litter or better
		Microprocessor control having LED digital display
		Working temperature upto 134 $^{\circ}$ C
		Having single door, should be door safety locks
		High pressure, should be high vacuum autoclave
		Chamber should be made of SS material
		Safety alarms: Over current, Temperature, Pressure protection
		Single phase electrically operated.
2.	Baby Phototherapy	Flexible positioning Flexible positioning LED type
2.	Daby Thotomerapy	Intensity: 35uW/cm2/nm at 3c or better
		Display: LCD Digit Display
		Irradiation timer: 0 to 99 hr. or better
		Inclination angle: Freely adjustable from horizontal to vertical Placement:
		Directly on the incubator /beds.
		Power requirements: 220 V, 50Hz;
3.	Dahas Gazatian Mashing	Accessories: Eye Cover (100 Pieces)
5.	Baby Suction Machine	Performance: Suction controlled 0-600mmHg or better (Adjustable)
		Capacity : 301/min or more
		Controls : On/Off switch
		Safety : positive pressure restricted
		With filter.
		Complete with autoclave able receiver jar 2x2000 ml or more (Autoclavable)
		Suction tip: 1 No
		Suction pipe length 2m, with hose.
		Mobile on four antistatic castors
		With the over flow safety
4.	CTG Machine	With 7-inch LCD display or more.
		Fetus heart rate: 50-240 bpm or better
		Manual/auto recording Fetus movement.
		Sound and color alarm for high and low fetal heart rate
		Continuous 3-4 hrs. Real time monitoring function, Single, twins monitoring.
		High resolution built in thermal recorder.
		Built in communication port, for connecting to the central monitoring system.
		Voltage AC220V, 50Hz.
		Output speed: 1 cm/min, 2cm/min, 3 cm/min.
		Ultrasound Probe: Nominal frequency: 2.0MHz or better
		Work frequency: 1.0MHz+- 10%.
		Compatible with Two Probe (for twins).
		Complete with all accessories.
		Built in rechargeable battery backup: 3 hour or better
5.	ECG Machine 3 Channels	03 channels ECG Machine Should be portable and lightweight.
		ADC:12bits, resolution:1uV/LSB
		Voltage 220 volts, 50hz
		Display: 3" or more.
		Simultaneous 12 leads acquisition Must have continuous display of patient heart
		and rate
		Must have integrated pediatric analysis.
		Support the 12-lead ECG analysis program for complete ECG Analysis reports
		with measurement data table should be provided.

		Must be able to indicate at least four critical values that require immediate
		clinical attention.
		Printer: High Resolution and in built thermal array printer.
		Built in rechargeable battery backup.
6.	Electrical Instrument	Mini autoclave Class B type
	Sterilizer 12x6 / Autoclave	Capacity 18 liters or more (Bench top)
		Microprocessor controlled
		Digital display
		Automatic functioning
		Pre and post fractionated vacuum. Sterilization temperature: 121°c to134°c
		With demineralizer
7.	Emorgonov light with	Operating Light with: -
7.	Emergency light with single reflector AC/DC Or	Single dome On Balance mobile Stand LED light source Light intensity Max
	Examination light AC/DC	100,000 lux or better LED life of 50,000 hours or more
	Examination light AC/DC	Color Correction to 4350 deg Kelvin or better with intensity light control Multi
		flex arm with ultimate flexibility of positioning the lamp head.
		Electrical Supply: 220-volt 50Hz,
		Reversible overload and short circuit protection
		Inbuilt Backup power system with rechargeable branded dry batteries with
		backup time at least 03 hours
8.	Hot air oven	Dust-Free Gravity-Flow convection
0.		For drying, conditioning, Sterilizing and quality control.
		Display: Temperature control, timer, alarm.
		Automatic on/ off function
		Over temperature and current protection.
		Leakage breaker, fan motor automatically stops when door is opens.
		Rapid Heat up in 25 min up to 240°C
		Digital Timer built-in Controller
		Capacity: 55-60Liters
		Temperature Range: Ambient 5°C to 250°C
		Accuracy: +1.0 AC
		Uniformity: + 3.0A°C at 120A°C
		Timer: Automatic timer 0-99 min,99hr, continuous
		Material Inner Stainless Steel
		Outer Steel with epoxy powder coating
		Shelves: Adjustable 2 or more
		Electric Supply 220 V, 50Hz
9.	Infant Baby / Radiant	Mobile infant warmer with integrated baby bassinet unit that accommodates use
	Warmer	of resuscitation equipment for intensive care of neonate. Technical
		Specification: -
		Infant warmer system to provide controlled source of radiant heat for infant.
		Temperature Control (Skin).
		Temperature Adjustment: Skin Temperature adjustment: 25Ac ~ 37A°c,
		Microprocessor controlled skin servo mode operation with digital display.
		LCD display for Infant Temperature
		Audible and visual alarms and automatic switch off if temperature reaches at $38\hat{A}^{\circ}c$.
		Built-in examination light Tilting large hed platform suitable for x ray cassettes, with cassette holder
		Tilting large bed platform suitable for x-ray cassettes, with cassette holder. Bed with mattress having Trendelenburg and reverse Trendelenburg position.
		Accessible from all sides with acrylic collapsible side panels
		Trolley with 2 Lockable castors or more.
		Power Requirement: 220~V, 50Hz Accessories
L		1 over requirement. 220 · v, 5012 / recessories

Image: Instruction of the infant suction infant suction regulator, suction bottle/400ml, positive pressure resuscitation, and oxygen cylinder medium size). Skin probe reusable. Infant face masks (Large, Medium, Small) 10. Nebulizer Maximum compressor pressure 2.5-3.0 bar Maximum compressor pressure 2.5-3.0 bar Nebulizer Maximum compressor pressure 2.5-3.0 bar Nebulizer inflow 1011' min or better Particle size(mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer cup An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Provemation of the start of t		l	
10. positive pressure resuscitation, and oxygen cylinder medium size). Skin probe reusable. Infant face masks (Large, Medium, Small) 10. Nebulizer Maximum compressor pressure 2.5-3.0 bar Maximum compressor pressure 2.5-3.0 bar Nebulization rate 0.3 ml / min Compressor air flow 10lit / min or better Particle size (mmad) 0.5 m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer cup Nebulizer cup Nebulizer cup Nebulizer cup Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Precentage level: 1-10 Ltr per Minute 95%ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Imaging Mode: B, B/B, B/M 11 2 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better Sof0 or more images storage capacity Cine loop Memory in ReJ, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240 VA C 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			Complete infant resuscitation package with mounting bracket (resuscitation
Skin probe reusable. Infant face masks (Large, Medium, Small) 10. Nebulizer Maximum compressor pressure 2.5-3.0 bar Maximum compressor pressure 2.5-3.0 bar Nebulizetin rate 0.3 ml / min Compressor air flow 101i / min or better Particle size (mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer assembly and Accessories : Tubing Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen, Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95% A±3% or better With Connecting Pipe Mobile on 04 Castors Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better S00 or more images storage capacity			
Infant face masks (Large, Medium, Small) 10. Nebulizer Maximum compressor pressure 2.5-3.0 bar Maximum compressor pressure 2.5-3.0 bar Nebulization rate 0.3 ml / min Compressor air flow 10it / min or better Particle size (mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer cup Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Procesor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA), With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Owerheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Oling Tpip Mobile on 04 Castors 12 Portable Ultrasound Machine 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better S00 or more images storage capacity Cine loop Memory in R/B, M and B/M Mode Zoom in Real Time & Fro			
10. Nebulizer Maximum compressor pressure 2.5-3.0 bar Maximum compressor pressure 2.5-3.0 bar Nebulization rate 0.3 ml / min Compressor air flow 10lit / min or better Particle size(mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer assembly and Accessories : Tubing Nebulizer cup Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Plow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstertics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			*
1 Maximum compressor pressure 2.5-3.0 bar Nebulization rate 0.3 ml / min Compressor air flow 1001/ min or better Particle size(mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer assembly and Accessories : Tubing Nebulizer cup Nebulizer cup Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbÅ). With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95% ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B'B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obsterrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
1 Nebulization råte 0.3 ml/ min Compressor air flow 10lit / min or better Particle size (mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz. Nebulizer assembly and Accessories : Tubing Nebulizer assembly and Accessories : Tubing Nebulizer cap 11. Oxygen Concentrator Micro Processor controlled. Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dba). 11. Oxygen Concentrator Micro Processor controlled. Oxygen prove loss. Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Precentage level: 1-10 Ltr per Minute 95%ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depti: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer	10.	Nebulizer	
1 Compressor air flow 10lit / min or better Particle size(mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer cup Nebulizer cup Nebulizer cap An adult mask Motto piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for. Power loss, Low pressure, air leak, hardware failure, Mechanical Falure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With OPI consectors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12. Portable Ultrasound Machine Iz or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: ParZoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time,			
Particle size(mmad) 0.5m to 5m Noise level 55 db Electrical requirement 220v/ 50Hz Nebulizer assembly and Accessories : Tubing Nebulizer cup Nebulizer cup Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
12. Portable Ultrasound 12. Portable Ultrasound 12. Portable Ultrasound 12. Portable Ultrasound 13. Imaging Mode: B, B/B, M/M 14. Imaging Mode: B, B/B, M/M 15. Portable Ultrasound 16. Machine 17. Portable Ultrasound 18. Mouth piece 19. Oxygen Concentrator 10. Oxygen Concentrator 11. Oxygen Concentrator 11. Oxygen Concentrator 11. Oxygen Concentrator 11. Oxygen Concentrator 12. Portable Vltrasound 13. Portable Ultrasound 14. Imaging Mode: B, B/B, B/M 12. Portable Ultrasound 13. Imaging Mode: B, B/B, B/M 14. Imaging Mode: B, Concentrator 15. Portable Ultrasound 16. Imaging Mode: B, Concentrator 17. Portable Ultrasound 19. Imaging Mode: B, B/B, M/M 10. Imaging Mode: B, B/B, M/M 12.			*
Image: Second			
1 Nebulizer assembly and Accessories : Tubing Nebulizer cup Nebulizers insert. Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. 11. Oxygen Concentrator With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
11. Oxygen Concentrator Micbulizer cup 11. Oxygen Concentrator Micro Processor controlled. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With foll With foll Oxygen Piow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With foll Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95% ű3% or better With Connecting Pipe Mobile on 04 Castors Machine Imaging Mode: B, B/B, B/M 12. Portable Ultrasound Machine Imaging Storage storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit <			-
11. Oxygen Concentrator Nebulizer cup Nebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%±3% or better With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			•
1 Nebulizers insert. Nebulizer cap An adult mask Mouth piece Micro Processor controlled. 11. Oxygen Concentrator Micro Processor controlled. Noise level (45dbA). With filter. With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine 12. Portable Ultrasound Machine 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Pro			
11. Oxygen Concentrator Mebulizer cap An adult mask Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Mouth piece 11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%±3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
11. Oxygen Concentrator Micro Processor controlled. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95% ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
12. Oxygen Flow Range: 0 to 10 litter per Minute Noise level (45dbA). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Noise level (45dbÅ). With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%ű3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer	11.	Oxygen Concentrator	
 With filter. With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%±3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer 			
With OPI (oxygen purity indicator) & Alarm at very low oxygen level. Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%±3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors12.Portable Ultrasound MachineImaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Audio visual alarm for: Power loss, Low pressure, air leak, hardware failure, Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%±3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors12.Portable Ultrasound MachineImaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			With filter.
Mechanical Failure, Overheating and High Pressure. Oxygen Percentage level: 1-10 Ltr per Minute 95%±3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Oxygen Percentage level: 1-10 Ltr per Minute 95%±3% or better With Humidifier With Connecting Pipe Mobile on 04 Castors 12. Portable Ultrasound Machine Imaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			· · · · · · · · · · · · · · · · · · ·
With HumidifierWith Connecting PipeMobile on 04 Castors12.Portable UltrasoundMachineIz or more LCD monitorScanning Depth: From 2.0 - 28 cm minimum or better500 or more images storage capacityCine loop Memory in B/B, M and B/M ModeZoom: Pan Zoom in Real Time & Frozen ConditionMeasurement Calculation: B-Mode: Distance, Circumference, Area, VolumeM-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles)Software Packages: Abdomen, Gynecology, Obstetrics,Power Supply: 100-240V AC 50/ 60 HzTGC: 8-Segment or More2 or More Active Probe Connectors in Main UnitUSB Ports and BNC Connector for Thermal Printer			
With Connecting Pipe Mobile on 04 Castors12.Portable Ultrasound MachineImaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			Oxygen Percentage level: 1-10 Ltr per Minute $95\% \hat{A} \pm 3\%$ or better
Mobile on 04 Castors12.Portable UltrasoundImaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
12.Portable Ultrasound MachineImaging Mode: B, B/B, B/M 12 or more LCD monitor Scanning Depth: From 2.0 - 28 cm minimum or better 500 or more images storage capacity Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Machine12 or more LCD monitorScanning Depth: From 2.0 - 28 cm minimum or better500 or more images storage capacityCine loop Memory in B/B, M and B/M ModeZoom: Pan Zoom in Real Time & Frozen ConditionMeasurement Calculation: B-Mode: Distance, Circumference, Area, VolumeM-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles)Software Packages: Abdomen, Gynecology, Obstetrics,Power Supply: 100-240V AC 50/ 60 HzTGC: 8-Segment or More2 or More Active Probe Connectors in Main UnitUSB Ports and BNC Connector for Thermal Printer			
Scanning Depth: From 2.0 - 28 cm minimum or better500 or more images storage capacityCine loop Memory in B/B, M and B/M ModeZoom: Pan Zoom in Real Time & Frozen ConditionMeasurement Calculation: B-Mode: Distance, Circumference, Area, VolumeM-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles)Software Packages: Abdomen, Gynecology, Obstetrics,Power Supply: 100-240V AC 50/ 60 HzTGC: 8-Segment or More2 or More Active Probe Connectors in Main UnitUSB Ports and BNC Connector for Thermal Printer	12.		
500 or more images storage capacityCine loop Memory in B/B, M and B/M ModeZoom: Pan Zoom in Real Time & Frozen ConditionMeasurement Calculation: B-Mode: Distance, Circumference, Area, VolumeM-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles)Software Packages: Abdomen, Gynecology, Obstetrics,Power Supply: 100-240V AC 50/ 60 HzTGC: 8-Segment or More2 or More Active Probe Connectors in Main UnitUSB Ports and BNC Connector for Thermal Printer		Machine	
Cine loop Memory in B/B, M and B/M Mode Zoom: Pan Zoom in Real Time & Frozen Condition Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Zoom: Pan Zoom in Real Time & Frozen ConditionMeasurement Calculation: B-Mode: Distance, Circumference, Area, VolumeM-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles)Software Packages: Abdomen, Gynecology, Obstetrics,Power Supply: 100-240V AC 50/ 60 HzTGC: 8-Segment or More2 or More Active Probe Connectors in Main UnitUSB Ports and BNC Connector for Thermal Printer			
Measurement Calculation: B-Mode: Distance, Circumference, Area, Volume M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
M-Mode, Distance, Time, Velocity, Heart Rate (2 Cycles) Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Software Packages: Abdomen, Gynecology, Obstetrics, Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
Power Supply: 100-240V AC 50/ 60 Hz TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			· · · · ·
TGC: 8-Segment or More 2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
2 or More Active Probe Connectors in Main Unit USB Ports and BNC Connector for Thermal Printer			
USB Ports and BNC Connector for Thermal Printer			
Electronic Convex Array Transducer: 2.0 - 5.0 MHz or More			
Electronic Linear Array Transducer 5.0 - 12 MHz or More			•
Built-in/external backup of at least 90 minutes or better			-
Thermal printer Gel 20 Liters			
Carrying Beg			
13.Shadowless LampsShadow less light ceiling type, including single arm, 360 degree rotary stable	13.	Shadowless Lamps	
and suspended.			•
The light should be height adjustable and focused according to the size of the			
patients surgical area.			
Dual Dome Intensity control available.			
LED light source			LED light source

Light intensity: Maximum 160,000 Lux + 160,000 or better at 1 meter dist LED life of 50,000 hours or better · Color Correction to 4000 deg Kelvin better	
e e e e e e e e e e e e e e e e e e e	01
	l Of
Input power 220VAC, 50 Hz With sterilized handle for movement. Backup power system with dry battery (s), with backup time at least 03 ho	ure or
Backup power system with dry battery (s), with backup time at least 05 no more.	uis Ul
Complete with Installation	
14. Sonic Aid Machine/ Fetus Fetal Heart Beat / Sound Detection & Rate Monitoring.	
Heart Detector/Fetal Heart rate digitally displayed	
DopplerHeart beat audible through the built-in speaker (earphone).	
Ultrasonic frequency/output: 2 MHz	
Audible output: 0.6W (Speaker output: Max.20W)	
Heart rate detection range: 50-240bpm	
Power requirements: Rechargeable battery for 1 hour with AC recharging	unit.
15. Sucker Machine Body of ABS Plastic and easy to clean	
With Vacuum Gauge & Vacuum Regulator	
Jar provided with Float Valve	
Supply 220 volts AC or 12 volt DC	
With 1 lit. x 1 Jar	
Vacuum approx. 560 mm Hg. free flow approx. 10 LPM or better	
16. X-Ray Machine 500ma X-Ray Plant 500mA with inbuilt or external AVR and UPS. HIGH	
FREQUENCY X-RAY MACHINE 500 MA (RADIOGRAPHY ONLY) w	vith
Inbuilt or external AVR and UPS, in case of external AVR the model /bran	nd
/make of the main x ray unit and each quoted component must be mention	ed.
The AVR must be able to control the voltage between 100V to 260V & to	
provide constant output voltage of 220V, 50Hz.	
In case of external AVR and ups system the AVR/UPS system shall be	
compatible with the x ray unit for minimum of 70 to 100 exposes on differ	
KV and mA. (Compatibility certificate from the supplier must be provided).
AVR and UPS maximum power, brand and model must be mentioned.	
With over and under current, voltage and heat protection	
X-RAY unit Comprising of following: -	
High Frequency X-Ray Generator 500mA /150 KV / 32 KW or better. With inbuilt /external AVR and UPS system minimum 70 to 100 exposure	
better.	5 01
4 Way Floating top Bucky table Floor to ceiling or free-standing Tube star	d
X-ray tube head with; Focal spot Size 0.6 x 1.2 mm or better on either side	
300 KHU or more. Manual Collimator. Pair of H.T cable Bucky wall stand	
X-RAY GENERATOR RAD TYPE, 01 TUBE SYSTEM Microprocessor	
controlled High frequency.	
Power: 32 kW or better. kV Range: 40 - 150kV mA Range: 10 -500mA	
Minimum exposure time: 1 milli second or less	
Exposure time range: 1ms 8.0 sec or more mAs Range: 02 - 500mAs or n	nore
Anatomical Programming: 100 or more. Digital display of parameters. Ha	
Switch for Radiography. With control console.	
Pedestal/wall mounted control console. Automatic main line compensation	ı.
Input voltage: 220V, 50Hz.	
ROTATING ANODE, DOUBLE FOCUS X-RAY TUBE (model must be	
mentioned)	
Small Focus: 0.6 x 0.6 mm or Less. Large Focus: 1.2 x 1.2 mm or Less. T	ube
voltage: 150kV.	
Anode heat storage capacity: 300 KHU or more.	
FOUR WAY FLOATING TOP BUCKY TABLE (model must be mention	ed)
Four-way floating top.	

Oscillating Grid Ratio 8:1 Cassette Tray to accommodate cassettes up to
14x17inch.
Electromagnetic Brakes. Grid ratio 8:1 COLUMNSTAND WITH
MANUALCOLLIMATOR (model must be mentioned)
Column stands with electromagnetic brakes for movement control. Manual
Collimator
HIGH TENSION CABLES: -
Pair of High-Tension Cables, each 12 m or more long WALL BUCKY STAND
(model must be mentioned) Vertical Travel, up and down with balancing system
& Electromagnetic Brakes Oscillating Grid Ratio 8:1 Cassette Tray to
accommodate cassettes up to 14x17 inch

Category B

S. No	Equipment / Items name	Specifications	
1.		Powder coated mild steel 18 SWG tubular frames.	
		Lying area made of rectangular hollow pipe frame with wire mesh.	
		Mobile on 50 mm dia. Rubber castors.	
	Baby Cot	Safety sides can be adjustable up & down easily.	
		Standard cushioned Rexene foam mattress with 2 inch thickness.	
		Laying area 55 cm x 100 cm	
2.			
۷.		ItemsQty1.Uterine Sound1	
		1. Oterme Sound 1 2. Curette Double Ended 3	
		3. Volselum10" 1	
		4. Artery Clamp 10" 8	
		4. Aftery Clamp 1085. Ovum Forceps.2	
		6. Dialectomy set 1	
		5	
	D&C ant		
	D&C set	8. Curved for Gynae 1 to 5 1	
		9. Sate catheter (Metallic female catheter) 1	
		10. Towel clipsonpin 4	
		11. Sponge holdingforceps9.5" 1	
		12. Non toothed dissecting forceps 8" 2	
		13. Allis's forceps 9" 2	
		14. Dilator set (Hegers) 1	
		15. Galli Pot150ml 2	
		16. Along with Container 1	
3.		Items Qty	
		1. Bowl lotion 150 mm1	
		2. Kidney Tray 10"3	
		3. Mucus Extractor Reusable Rubber2	
		4. Catheter used with mucus Extractor 2	
		5. Artery Forceps Kocher 8" straight. 4	
	Delivery set	6. Dissecting Forceps 6" toothed. 4	
	Derivery set	7. Needle holder mayo 6.51	
		8. Outlet Forceps large size. 2	
		9. Episiotomy Scissors 6" 2	
		10. Scissors B/B6	
		11. Card Clamp. 1	
		12. Sims Speculum 1	
		13. Along with Container 1	
4.	Delivery Table Local	Couch top made of 3 sections i.e. back, hip, and leg sections covered	1

		with mattress having raxine cover.Leg section removable Back seat adjustment through handles.Removable receptacle under the hip area.
		Lithotomy poles with tying strips. Hand grips on both the sides.
5.	Dressing drum	Mobile on castors. Size 10*10
		Stainless Steel / Autoclaveable
6.	Dressing Instrument set for ward	ItemsQty1. Dressing scissors(Plastic Handle)12. Stitch Scissors fine23. No Toothed Forceps.14. Toothed Forceps.15. Artery forceps.16. Suture forceps.17. Small Kidney Tray.18. 8. Bowl19. Kocher Forceps110. Along with Container1
7.	Dressing Table/trolly	Constructed from stainless hollow pipe of 1 inch. With two shelves made of stainless steel, on top and bottom with side guards. Two stainless steel drawers under the top shelf. Stainless steel bucket and bowl with holders. Mobile on 100mm dia rubber castors. Push handle for easy movement. Size: (70 cm L50 cm W 90 cm H)
8.	Drip Stand	 Heavy Weight base mobile on 50 mm dia castors Powder coated base and column with telescope adjustment. 4 ports I/V rod of wire diameter 0.5 mm
9.	Emergency Tray (Kidney Tray)	Size 1 litter Stainless Steel / Autoclaveable
10.	Episiotomy Set	ItemsQty1. Braun-Stadler episiotomy scissors 14,5 cm12. Deaver operating scissors straight b/b 14cm13. Round bowl diam. 100mm 250ml14. Standard tissue forceps 14,5cm straight 1x2 teeth15. Kocher haemostatic forceps delicate model straight toothed 1:2 14cm26. Mayo-Hegar needle holder 14cm27. Along with Container1
11.	Examination Couch	Frame to be one piece welded mild steel powder coated. Headrest to have step less angle adjustment from horizontal to 75° 2" Mattress of 2.5 lbs./cft density with water proof sterilize able cover. Paper roll holder to be fitted at head end and suitable for paper rolls up to 510mm wide. Size Approx. 2000mm x 500mm with standard height
12.	Fetoscope/Pinard Fetoscope	Hollow horn-shaped Stainless Steel
13.	General instrument set	ItemsQty1. InstrumentTray10x1212. Towel clips43. BP handleNo.4,32

		A Arter former all a
		4. Artery forceps 6" curved 6
		5. Artery forceps6"straight 2
		6. Sponge Holding forceps 2
		7. Metzebaumscissors7.5"curved 1
		8. Metzebaum straightscissors7.5" 1
		9. Czerney retractors 2
		10. Langen beck Retractors2
		11. Needleholder7" 1
		12. Tootheddissectingforceps:7" 1
		13. Non-toothed dissectingforceps7"1
		14. Allis'forceps8" 4
		15. kidney tray 1 litter 1
		16. kidney tray 500ml1
		17. Along with Container 1
14.		Frame constructed of stainless steel hollow pipe,
		Complete with two Stainless steel trays having open space between it.
	Instrument trolley	Both trays provided with reinforcement as side guards for safety.
	2	Mobile on wheels.
		Size (60x90) cm
15.		Bed:
15.		Over all dimension (LxWxH) 195cmx 85cmx 55cm (±10)
		Four section beds with all welded enameled main frame constructed
		from rectangular section steel tube of 16SWG steel sheets.
		Adjustable back rest and leg section by means of two independent
		cranks with square threads pitch revolving in steel nuts by means of
		rectangular handle, The cranks have safety features when reach
		maximum position.
		Removable bed ends fitted with 10mm laminated plastic/backlite
		panels.
		Platform fitted with epoxy painted steel bars of 18 SWG steel.
		The bed is mounted on double ball bearing, swivel castors of non- tin
		and weather proof rubber. Two fixed at head end and two swiveling
		with independent breaks at foot end.
		Rubber bumpers at all four corners Four Mattress holders (2 at each
	Iron Bed Fowler type	side) With I V pole.
		Structure of the platform shall be smooth and seamless.
		Platform shall not contain cavities in order to avoid hideouts/safe areas
		for germs.
		All the corners of the platform shall be round and smooth.
		All the joints shall be made smooth.
		Polyester powder coated finishing.
		Bed side Locker:
		Overall size of locker 40cm width, 40cm depth, 80 cm height.
		Made up of SS 18 SWG.
		Top made of CP galvanized steel sheet,
		One drawer.
		One cabinet with space between the drawer and cabinet.
		Base made of 1" round/square pipe.
		FINISH: Polyester powder coated finishing
		Over Bed Table:
		Top made of Stainless steel.

		100cm, 100cm, 40cm
		Mobile on four castors.
		Side Railing:
		Adjustable length allows for use at bed rail to prevent falling out of
		bed.
		Collapsible in 2 steps, Height of Rail 18" (high from the point of fixing
		on the structure of bed)
16.		• Bivalve Speculum medium 4" inch
		• Sponge holding forceps 9" inch or above
		• Scissors medium 7" inch
		 Dressing forceps medium 7" inch
	IUD insertion kit	Bowl (metallic) SS Medium & small 5&6 inches
		• Kidney tray SS, medium & small 6 & 7 inches
		 Tenaculum forceps(vulsellum) 9" inches
		• Metal uterine sound 12" inch
		• IUCD removal crocodile foreceps 10"
		 Box container in SS Box (SS), 14"x9" inches 3" deep
17.		Overall dimension 2.5'(L) x 2'(W)x3' H or better
1/.		Stainless steel structure/ aluminum alloy/ ABS,
		Push handles one end.
	Medicine Trolley	Height adjustable IV Holder rod.
		Three or more drawers.
		Detachable waste bin with bag holder.
		Antistatic no skidded casters.
18.		Mobile infant trolley with integrated baby bassinet unit that
101		accommodates use of resuscitation equipment for intensive care of
		neonate.
		Temperature Adjustment: Skin Temperature adjustment: 25Ac ~
		37A°c,
		LCD display for Infant Temperature
		Audible and visual alarms and automatic switch off if temperature
		reaches at 38°c.
		Built-in examination light
		Tilting large bed platform suitable for x-ray cassettes, with cassette
		holder.
	Neonatal Resuscitation Trolley	Accessible from all sides with acrylic collapsible side panels
	(Local)	Trolley with 2 Lockable castors or more.
		Power Requirement: 220~V, 50Hz Accessories
		Complete infant resuscitation package with mounting bracket
		(resuscitation module, flow meter, infant suction unit, suction
		regulator, suction bottle/400ml, positive pressure resuscitation, and
		$1 \rightarrow 2 \rightarrow $
		• • •
		oxygen cylinder medium size).
		oxygen cylinder medium size). Skin probe reusable.
		oxygen cylinder medium size). Skin probe reusable. With Infant Ambo Bag:
		oxygen cylinder medium size). Skin probe reusable. With Infant Ambo Bag: Silicon Resuscitation Bag with infant / child face mask sizes 00, 0, 1, 2
		oxygen cylinder medium size). Skin probe reusable. With Infant Ambo Bag: Silicon Resuscitation Bag with infant / child face mask sizes 00, 0, 1, 2 &airway size 0, 1, 2 with E2 valve and fully autoclavable.
		oxygen cylinder medium size). Skin probe reusable. With Infant Ambo Bag: Silicon Resuscitation Bag with infant / child face mask sizes 00, 0, 1, 2

		Reservoir Bag volume approx. 600ml. Oxygen Reservoir Volume approx. 2500ml for adult and child. Tidal maximum volume: approx. 200ml for infant Unit to operate in all climatic conditions and not to be dependent upon a power supply. To be able to connect to an oxygen supply up to100%. The resuscitator must be able to ventilate through a mask and/or endo tracheal tube. Re-usable and must be autoclavable
19.	Oxygen Cylinder 48cft with stand	Cylinder: The cylinder must be of standard quality. BOC/Equivalent testing certificate must be provided. Stand: Main structure made of 1" di acicular pipe Mobile on two castor of 5" dia For carrying 48Cft cylinder With safety chain for holding cylinders
20.	Patients stool	Stool with 16 SWG stainless steel structure and seat of diameter 300mm. Height adjustable by simple spin mechanism. Height adjustment not less than 53cm to 68cm.
21.	Sim's vaginal speculum	Stainless steel Set of 3 speculums
22.	Vaginal Speculum cuscos all sizes	Stainless steel Set of 3 speculums
23.	Sterilizer	Construction of Stainless steel For Steam Sterilization/disinfection of surgical materials /instruments With Handles for Lid and Base. Size: Standard Size (12" x 10") or better Electrically operated with immersion heater, Power source 220v/50hz
24.	Stretcher Trolley	Lenth: 6 ft or more Width: 2 ft or more 4 rubber castors having 23 cm dia. Castors should Lockable Top made of stainless steel
25.	Tray with cover large	Stainless Steel Size: 14" x 12"
26.	Ward Screen	 Frame in four parts constructed from fully plastic-coated M.S. hollow tubular pipe 1" dia. All frames fixed together with Steel universal joints for easy movement of each part. Curtains fitted with spring loaded rods, Mobile on eight, castors of 75 mm dia. Curtain of wash and wear polyester cloth/ plastic cloth in variety of colors.
27.	Wheel Chair	Best quality Non folding wheel chair, 2 big wheels and 2 small wheels Should have footrest/ Foot support. With safety belt. Should have backrest/ Lumber support. Comfortably cushioned seat width 38 x 43cm, water proof covered.

S. No	Equipment / Items name	Specifications
1.		Silicon Resuscitation Bag with adult face mask sizes 3, 4, 5 & Airway size 3, 4, 5 with E2 valve and fully autoclavable.
		Reservoir Bag volume 2Literor more.
		Oxygen Reservoir Volume approximately 2500 ml for adult.
		Tidal maximum volume: approximately 1000ml for adult.
	Adult Ambu Bag with Mask	Resuscitation bag to be manually operable and able to be connected to
		an oxygen source up to 100% for ventilation through a mask or an
		endotracheal tube.
		To be able to connect to an oxygen source up to 100%.
		Unit to be supplied with a carrying case. Re-usable and must be autoclavable
2.		Lightweight aluminum/ S S adult chest piece construction.
۷.		Adjustable chrome binaural.
	Adult Stethoscope	Flexible one piece molded 'Y' PVC tubing.
		Ergonomic plastic ear tips.
3.		Scale to have low level platform finished with non-slip cover,
		measuring Dial to be fitted at waist height steel yard arm.
	Adult Weighing Scale	Capacity: 0 kg -150kg or better.
		Fitted with imperial and metric height measuring rod
4.		Timing duration : 60 seconds
		Timing accuracy: within 0.1 seconds
	ARI Timer	Neck Cord: Approximately one meter long
		Operating temperature: 0 to 50 degrees
		Unit should be battery operated.
5.		Digital baby weighing scale having built-in battery backup.
		Scales to be highly accurate and stable.
	Baby Weighing scale	Touch controls with splash proof key board.
		Removable baby weighing pan.
		Automatic hold, slow and tare controls.
б.	Ded Dana	Capacity: 0 kg to 30kg or better.
7.	Bed Pans	Made of good quality plastic
1.		Constructed from shatter resistant materials fully protected plastic manometer tube with clear reading scale
		Range 0 to 300 mm Hg.
	Blood Pressure Apparatus	Integral mercury reservoir.
	with Floor Type (stand type)	Spring coil tube with bulb. (Pump).
		Adult cloth cuff with Velcro fastening cuff holder.
		Unit mounted on stable 4 to 5 castor mild steel base.
8.	Bulb Sucker	Made of rubber, Best quality
9.		Floor model examination light
		Most positionable, high intensity, cool light
	Examination Light with	Arm : Articulated, spring loaded arm with on/off switch and
	Examination Light with Halogen bulb	incorporated electronic transformer.
		Length of arm : 85cm approx.
		Voltage : 230 V.
		Bulb : 12V/50w, Halogen Bulb

Category C

		Lux : 25000 50000 lux approx
		Lux : 35000 - 50000 lux approx.
		Dome : Aluminum with sterilisable handle
10		Base : Chrome Plated
10.		Standard Features:
	Height scale	Height Measuring Scale.
		Measuring range : 20-205cm
11.		Silicon Resuscitation Bag with infant / child face mask sizes 00, 0, 1, 2
		&airway size 0, 1, 2 with E2 valve and fully autoclavable.
		The resuscitator to meet with all requirements lay down by
		international standards.
		Reservoir Bag volume approx. 600ml.
		Oxygen Reservoir Volume approx. 2500ml for adult and child \hat{A} . Tidal
	Infant Ambu Bag with Mask	maximum volume: approx. 200ml for infant
		Unit to operate in all climatic conditions and not to be dependent upon
		a power supply.
		To be able to connect to an oxygen supply up to 100% . The
		resuscitator must be able to ventilate through a mask and/or endo
		tracheal tube.
		Re-usable and must be autoclavable
12.		Laryngoscope set for adults and children
		Product specifications:
		Large hollow, cylindrical, slightly ribbed handle
		Handle made of either chromium-plated or stainless steel
		Can be opened to insert two batteries (type LR14, size C, 1.5 V)
		Stud contact, fitting various sizes and types of depressors
		With a set of four stainless steel depressors, with halogen bulb
	Laryngoscope	MacIntosh type:
	_	Curved Nr 2, length approx. 110 mm
		Curved Nr 3, length approx. 135 mm
		Curved Nr 4, length approx. 155 mm
		Miller type:
		Straight Nr 1, length approx. 100 mm
		Durable protective plastic box or padded vinyl case
		spare halogen bulb (one for each depressor)
		Instructions for assembly, use and maintenance in English
13.	Macintosh/Plastic apron	For dark room water proof, good quality
14.		Used for Manual Aspiration procedure (Medical termination of
		pregnancy).
		Made from medical grade polypropylene.
		Kit consists of MTP Syringe, Karman Cannula, lubricating oil.
		Smooth cannula with rounded tip and smooth eyes for atraumatic
		canniulation.
		Available in single valve and double valve syringe.
	Manual vacuum aspirator	Karman Cannula size 4mm to 12mm
		Packing
		Sterile, individually packed in peelable pouch pack.
		One Pack of Double Valve Syringe consist of:
		1 Double Valve Syringe, Connectors, Lubricating Oil and 4, 5, 6, 7, 8,
		9, 10, 12mm Cannula
		One Pack of Double Valve Syringe consist of:
		One I ack of Double valve Synnige Collisist of.

		1 Double Valve Syringe, Connecters, Lubricating Oil and 4, 5, 6, 7, 8,
		9, 10, 12mm Cannula
15.	Precision finger pulse	SpO2 Range: 35 ~ 100%
	oximeter	Pulse rate: 25bpm – 250bpm or better
	oxineer	With batteries
16.		Thermometer made of ABS plastic.
		Two thermometric units: Celsius (°C) and Fahrenheit (°F).
		Measuring ranges from 32 °C to 43 °C (89.6 °F to 109.2 °F) with a
		precision of $\pm 0.2^{\circ}$ C.
		Very easy to use,
	Thomas low	Accurately measures temperature within one second, without contact
	Thermal gun	with the body.
		LCD screen
		Measuring distance can be from 3 to 5 cm.
		Powered by 2 AAA batteries.
		The thermal gun must have one of the following certificates
		CEMDD /ISO13485/USFDA or WHO approved.
17.	Thermometer digital	CEMDD /ISO13485/USFDA or WHO approved.

Category D

S. No	Equipment / Items name	Specifications
1		Biometric Machine:
		Display Language: English
		Communication: USB/TCP/IP
		Fingerprint: 1000 User Capacity
	Biometric Machine	Card User: 1000
	Biometric Machine	Password User: 1000
		verification Mode: Finger print, ID Card, Password & Combo
		Finger Print Sensor
		Data Backup Support: USB
		Excel Report: Direct from USB
2		Uninterrupted Power supply: 3 KW
		Pure sin wave, 24V
		Input Voltage: 160VAC to 260VAC
	UPS with batteries	Output Voltage: $220VAC \pm 10\%$
		Batteries: 12V Lead Acid Battery, 150Ah 02 Qty
		With Load Protection and low battery alarm
		Automatic cutoff when batteries are fully charged
3	Water Dispenser	2 taps, one for cold water and one for hot water
	water Dispenser	With refrigerator

S. No.	Description of Variables	Allocated Points/Marks
Α	Product / Manufacturer Evaluation Parameters	
1	Compliance Sheet in attached Viz-a-Viz format / form.	No Marks
1.1	Product General Information	
1.2	Ref. No of item in SBD Schedule of Requirement	
1.3	Name of equipment	
2	Conformance to Specification	
2.1	Fully compliance with the required specifications as per Statement of Requirement. Minor deviations may be accommodated up to 4, subject to the condition that main function and performance in any aspect would not be affected. More than 4 minor deviations will be considered as major deviation and the bidder will be considered as non-responsive for the quoted item. (One mark for each deviation will be deducted).	30
3	Product International Certification	6 (36)
3.1	Certificate of US Food and Drug Administration (USFDA) of the quoted model.	
3.2	Certificate of European community medical devices directive (CEMDD/IVD98/79EC) (Full Quality Assurance or Product Quality Assurance) for the quoted model issued by Notified Certification Body. Certificate of conformity, Declaration of Conformity, CE Technical Documentation review, Compliance Report will not be considered as CE certificate.	One certificate is mandatory having no marks while each extra certificate will get 3 marks each.
3.3	Certificate of Ministry of health labor and welfare Japan (MHLW) of the quoted model. (Translated English Version)	
4	Manufacturer Performance	
4.1	Valid ISO 13485 Medical Devices Quality Management Systems Certificate.	3 (39)
4.2	OSHAS 18001 / ISO 45001 Occupational Health & Safety Series from IAF accredited body.	2 (41)
4.3	Weightage for local Pakistani original manufacturer.	6 (47)
5	After Sale Product Local Performance	
5.1	One mark for each after sale satisfactory performance certificate (verifiable) of the firm on letter head signed and stamped letter for the quoted model or previous provided model of equipment from the public sector medical institution of Pakistan. Performance certificate shall be coupled with supply order / purchase order from public sector medical institution.Supply Order / Purchase Order / Installation reports / Delivery challan will not be considered as satisfactory performance certificate.	4 (51)

Technical Evaluation Criteria for the Purchase of Category-A Equipment

5.2	One mark for each after sale satisfactory performance certificate (verifiable) of the firm on letter head for the quoted model or previous provided model of equipment from the teaching level/research level private sector, medical institution of Pakistan. The hospital must be recognized from Pakistan Medical Commission (PMC). The satisfactory performance certificate of non-recognized institution from PMC will not be considered. Performance certificate shall be coupled with supply order / purchase order from teaching level private sector medical institution. Supply Order / Purchase Order / Installation reports / Delivery challan will not be considered as satisfactory performance certificate.	3 (54)
6	Warranty	
6.1	Warranty Period of three years both with spare parts and services & Next two-year services only without parts, from the date of Installation / Commissioning.	No marks, being Mandatory Parameter
Α	Total score of the Product / Manufacturer Evaluation Parameters	54
В	Firm Evaluation Parameters	
1	Personnel/Human Resource	
1.1	Diploma of Associate Engineer (DAE) in electrical / electronic / biomedical / mechatronics / mechanical / industrial. DAE certificate must be submitted. (1 mark for each certificate)	2
1.2	Graduate Engineer with PEC Registration in electrical / electronics, biomedical / mechatronics / mechanical / industrial. PEC registration card of the engineer must be submitted. (2 marks for each Engineer)	4 (6)
2	Workshop facility Testing/ Calibration tools of Equipment	
2.1	Availability of workshop in Khyber Pakhtunkhwa to be verified with Ownership / Rent Agreement with Owner / Rent Agreement with Company Name.	No marks, being Mandatory Parameter
2.2	List of related tools available at workshop / List of Testing and Calibration tools for the quoted items available at workshop / Detail list of Spare parts availability at workshop for the quoted items. (1 mark each).	2 (8)
3	Firm Financial Strength	
3.1	Annual Sales tax returns for last two years (1 mark for each year).	2 (10)
3.2	Annual Income tax returns for last two years (1 mark for each year).	2 (12)
3.3	Last two years Audited Balance Sheet Duly attested by Chartered Accountant. Marks will be allocated on the basis revenue annual turnover, 100 M or above will be awarded 2 marks in last 3 years. Rs.50 to Rs.99.9 M will be awarded 1 mark in last 3 years. Less than Rs.50M will be awarded 0 mark.	2 (14)
4	Firm Registration	

4.1	Firm registration at relevant forum (SECP, Registrar of Firm, FBR).	Mandatory
4.2	Firm registered with DRAP/PEC (Drug Regularity Authority of Pakistan) to import / manufacture of medical devices.	Mandatory
4.3	Valid ISO 9001 Quality Management Certificate of the firm from PNAC.	2 (16)
В	Total Score of the Firm Evaluation Parameters	16
A+B	Total Score (A + B)	(54+16) = 70

Technical Evaluation Criteria for the Purchase of Category B and C equipment / Items

S. No.	Description of Variables	Allocated Points
Α	Product Evaluation Parameters	L
1	Name of equipment	
2	Conformance to the specification subject to the clearance on Sample test	L
2.1	Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Inspection Committee. Excellent Sample	40
2.2	Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Inspection Committee. Good Sample	25
2.3	Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Inspection Committee. Satisfactory Sample	15
2.4	Sample rejected by inspection committee or low-quality sample provided, the firm will be considered as non-responsive for the quoted item and no marks will be awarded.	0
2.5	Weightage for local Pakistani original manufacturer.	7(47)
3	After Sale Past Performance	
3.1	One mark for each after sale satisfactory performance certificate (verifiable) of the firm on letter head, signed and stamped from the public sector institution / hospital for the quoted item. Performance certificate shall be coupled with supply order / purchase order from public sector medical institution. Supply Order / Purchase Order / Installation reports / Delivery challan will not be considered as satisfactory performance certificate	5 (52)
	One mark for each after sale satisfactory performance certificate (verifiable) of the firm on letter head of private institution / hospital for the quoted item. Performance certificate shall be coupled with supply order / purchase order from private sector medical institution. Supply Order / Purchase Order /	

3.2	Installation reports / Delivery challan will not be considered as satisfactory performance certificate	4 (56)
4	Manufacturer Performance for Cat B	
4.1	Valid ISO 9001 Quality Management Certificate from PNAC certification bodies.	2 (58)
4.2	Valid ISO 14001 Environmental Certificate from PNAC certification bodies. (The certificate must be issued to the manufacturer plant).	2 (60)
4	Manufacturer Performance for Cat C	
4.1	Valid CE Certificate of the manufacturer for the quoted items.	2 (62)
4.2	Valid ISO 9001 Quality Management Certificate / Valid ISO 13485 Medical Devices Quality Management Systems Certificate.	2 (64)
5	Warranty of Cat B	
5.1	CAT B	
5.1.1	One-year warranty for instruments and three years for beds & other hospital Supplies with replacement/repair of product.	No marks, being Mandatory Parameter
5.2	Cat C	
5.2.1	One-year warranty for hospital supplies of Cat C with replacement.	No marks, being Mandatory Parameter
Α	Total score of the Product Evaluation	64
В	Firm / bidder Evaluation Parameters	
1	Cat B	
1.1	The bidder will have to give valid proof of being manufacturer / importer.	No marks, being Mandatory Parameter
2	Cat C	
2.1	The bidder will have to give valid proof of being manufacturer / importer / Sole agent / Distributor.	No marks, being Mandatory Parameter
3	Firm Financial Strength	
3.1	Annual Sales tax returns for last two years (1 mark for each year).	2 (66)
3.2	Annual Income tax returns for last two years (1 mark for each year).	2 (68)
3.3	Last two years Audited Balance Sheet Duly attested by Chartered Accountant. (1 mark for each year).	2 (70)
1		
4	Office / Workshop facility	

B	Total Score of the Firm / Bidder Evaluation Parameters	
A+B	Total Score (A+B)	(64+6) = 70

Technical Evaluation Criteria for the Purchase of Category D items

S. No.	Description of Variables	Allocated Points					
А	Product Evaluation Parameters						
1	Product General Information						
1.1	Ref. No of item in SBD Schedule of Requirement						
1.2	Name of equipment						
2	Conformance to the specification subject to the clearance on Sample test						
2.1	Fully compliance with the required specifications as per Statement of Requirement. Minor deviations may be accommodated up to 4, subject to the condition that main function and performance in any aspect would not be affected. More than 4 minor deviations will be considered as major deviation and the bidder will be considered as non-responsive for the quoted item. (One mark for each deviation will be deducted).	35					
3	After Sale Past Performance						
3.1	One mark for each satisfactory performance certificate (verifiable) of the firm on letter head or signed and stamped from the public institution / hospital for the quoted item/brand. Supply Order / Purchase Order / Delivery challan will not be considered as satisfactory performance certificate.	05 (40)					
3.2	One mark for each satisfactory performance certificate (verifiable) of the firm on letter head of private institution / hospital for the quoted item/brand. Supply Order / Purchase Order / Delivery challan will not be considered as satisfactory performance certificate.	05(45)					
4	Warranty						
4.1	Warranty Period of three years both with spare parts and services.	No marks, being mandatory parameter					
А	Total score of the Product Evaluation	45					
В	Firm / bidder Evaluation Parameters						
1	The bidder will have to give valid proof of being manufacturer / importer / authorized dealer.	No marks, being mandatory parameter					
2	Firm Financial Strength						
2.1	Annual Sales tax returns for last 3 years (1 mark for each year).	3					
2.2	Annual Income tax returns for last 3 years (1 mark for each year).	3 (6)					
2.3	Last three years Audited Balance Sheet Duly attested by Chartered Accountant.	3 (9)					

	(1 mark for each year).	
3	Human Resources	
3.1	Sample technician with a certificate / diploma. (1 mark for each certificate)	2 (11)
3.2	Diploma of Associate Engineer (DAE) in electrical / electronic / mechatronics or relevant field. DAE certificate must be submitted. (2 marks for each certificate)	4 (15)
4	Office / Workshop facility	
4.1	Availability of office/workshop in Khyber Pakhtunkhwa to be verified with Ownership / Rent Agreement with Owner/ Rent Agreement with Company Name.	No marks, being mandatory parameter
5	Manufacturer Performance	
5.1	Valid ISO 9001Quality management Certificate	3(18)
5.2	Valid CE certificate for the quoted item	3(21)
5.3	Weightage for local Pakistani original manufacturer.	4(25)
В	Total Score of the Firm / Bidder Evaluation Parameters	25
A+B	Total Score (A+B)	(45+25) = 70

Section VI. Sample Forms

Notes on the Sample Forms

The Bidder shall complete and submit with its bid the Bid Form and Price Schedules pursuant to ITB Clause 9 and in accordance with the requirements included in the bidding documents.

When requested in the Bid Data Sheet, the Bidder should provide the Bid Security, either in the form included hereafter or in another form acceptable to the Procuring agency, pursuant to ITB Clause 15.3.

The Contract Form, when it is finalized at the time of contract award, should incorporate any corrections or modifications to the accepted bid resulting from price corrections pursuant to ITB Clause 16.3 and GCC Clause 17, acceptable deviations (e.g., payment schedule pursuant to ITB Clause 25.4 (c), spare parts pursuant to ITB Clause 25.4 (d), or quantity variations pursuant to ITB Clause 29. The Price Schedule and Schedule of Requirements deemed to form part of the contract should be modified accordingly.

The Performance Security and Bank Guarantee for Advance Payment forms should not be completed by the bidders at the time of their bid preparation. Only the successful Bidder will be required to provide performance security and bank guarantee for advance payment in accordance with one of the forms indicated herein or in another form acceptable to the Procuring agency and pursuant to GCC Clause 7.3 and SCC 11, respectively.

The Manufacturer's Authorization form should be completed by the Manufacturer, as appropriate, pursuant to ITB Clause 13.3 (a).

1. Bid Form and Price Schedules

Date:	
IFB No:	

To: [name and address of Procuring Agency]

Gentlemen and/or Ladies:

Having examined the bidding documents including Addenda Nos. *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver *[description of goods and services]* in conformity with the said bidding documents for the sum of *[total bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we will obtain the guarantee of a bank in a sum equivalent to ______ percent of the Contract Price for the due performance of the Contract, in the form prescribed by the Procuring agency.

We agree to abide by this Bid for a period of [number] days from the date fixed for Bid opening under Clause 22 of the Instructions to Bidders, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity

(if none, state "none")

We understand that you are not bound to accept the lowest or any bid you may receive.

Dated this _____ day of _____ 20____

signature]

[in the capacity of]

Price Schedule in Pak. Rupees

Name of I	Bidder	IFI	3 Number_		Page	of
1	2	3	4	5	6	7
Item	Description	Country of Origin	Quantity	Unit price DDP named place	Total DDP per item	Unit price of Delivered duty paid (DDP) to final destination plus price of other incidental services if required ₃

Signature of Bidder _____

Note: In case of discrepancy between unit price and total, the unit price shall prevail.

2. Bid Security Form

Whereas [name of the Bidder] (hereinafter called "the Bidder") has submitted its bid dated [date of submission of bid] for the supply of [name and/or description of the goods] (hereinafter called "the Bid").

KNOW ALL PEOPLE by these presents that WE [name of bank] of [name of country], having our registered office at [address of bank] (hereinafter called "the Bank"), are bound unto [name of Procuring agency] (hereinafter called "the Procuring agency") in the sum of for which payment well and truly to be made to the said Procuring agency, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this ______ day of ______ 20____.

THE CONDITIONS of this obligation are:

- 1. If the Bidder withdraws its Bid during the period of bid validity specified by the Bidder on the Bid Form; or
- 2. If the Bidder, having been notified of the acceptance of its Bid by the Procuring agency during the period of bid validity:
 - a. fails or refuses to execute the Contract Form, if required; or
 - b. fails or refuses to furnish the performance security, in accordance with the Instructions to Bidders;

We undertake to pay to the Procuring agency up to the above amount upon receipt of its first written demand, without the Procuring agency having to substantiate its demand, provided that in its demand the Procuring agency will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including twenty eight (28) days after the period of bid validity, and any demand in respect thereof should reach the Bank not later than the above date.

[Signature of the bank]

3. Contract Form (Template contract will be awarded based on conditions in BSD)

THIS AGREEMENT made the _____ day of _____ 2022____ between [name of Procuring Agency] of [country of Procuring agency] (hereinafter called "the Procuring agency") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part:

WHEREAS the Procuring agency invited bids for certain goods and ancillary services, viz., [brief description of goods and services] and has accepted a bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:

- (a) The Bid Form and the Price Schedule submitted by the Bidder;
- (b) The Schedule of Requirements;
- (c) The Technical Specifications;
- (d) The General Conditions of Contract;
- (e) The Special Conditions of Contract; and
- (f) The Procuring agency's Notification of Award.

3. In consideration of the payments to be made by the Procuring agency to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Procuring agency to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract

4. The Procuring agency hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by ______ the _____ (for the Procuring Agency)

Signed, sealed, delivered by ______ the _____ (for the Supplier)

4. Performance Security Form

To: [name of procuring agency]

WHEREAS [name of Supplier] (hereinafter called "the Supplier") has undertaken, in pursuance of Contract No. [*Reference number of the contract*] dated ______ 20____ to supply [description of goods and services] (hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Supplier shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Supplier's performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Supplier a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Supplier, up to a total of *[amount of the guarantee in words and figures]*, and we undertake to pay you, upon your first written demand declaring the Supplier to be in default under the Contract and without cavil or argument, any sum or sums within the limits of *[amount of guarantee]* as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the _____ day of _____20____.

Signature and seal of the Guarantors

[Name of bank or financial institution]

[Address]

[Date]

5. Bank Guarantee for Advance Payment

To: [name of procuring agency]

[Name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 16 of the General Conditions of Contract to provide for advance payment, [name and address of Supplier] (hereinafter called "the Supplier") shall deposit with the Procuring agency a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the *[bank or financial institution]*, as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the Procuring agency on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding *[amount of guarantee in figures and words]*.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the Procuring agency and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Yours truly,

Signature and seal of the Guarantors

[Name of bank or financial institution]

[Address]

[Date]

6. Manufacturer's Authorization Form

[See Clause 13.3 (a) of the Instructions to Bidders.]

To: [name of the Procuring agency]

WHEREAS [name of the Manufacturer] who are established and reputable manufacturers of [name and/or description of the goods] having factories at [address of factory]

Do hereby authorize [name and address of Agent] to submit a bid, and subsequently negotiate and sign the Contract with you against IFB No. [Reference of the Invitation to Bid] for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per Clause 15 of the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Bids.

[Signature for and on behalf of Manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent and having the power of attorney to bind the Manufacturer. It should be included by the Bidder in its bid.

7. Integrity Pact

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIERS OF GOODS, SERVICES & WORKS IN CONTRACTS WORTH RS. 10.00 MILLION OR MORE

Contract No	Dated	Contract Value: [To be filled in at the
time of signing of Contract]	Contract Title:	

[Name of Supplier] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Khyber Pakhtunkhwa (GoKP) or any administrative subdivision or agency thereof or any other entity owned or controlled by GoKP through any corrupt business practice.

Without limiting the generality of the foregoing, [name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoKP, except that which has been expressly declared pursuant hereto.

[Name of Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with GoKP and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[Name of Supplier] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to GoKP under any law, contract or other instrument, be voidable at the option of GoKP.

Notwithstanding any rights and remedies exercised by GoKP in this regard, [name of Supplier] agrees to indemnify GoKP for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to GoKP in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by [name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoKP.

Name of Buyer:		Name of Seller/Supp	Name of Seller/Supplier:		
Signature:	. [Seal]	Signature:	{Seal]		